INDEX TO VOLUME 59

Absorbance—formula for, 248
Aconcagua Province, Chile, Guayacan mine, 1283
Actinium-227, 587
Active profiles, 1069
Activity, thermodynamic concentration, 539
Adams, J. A. S., Osmond, J. K., and Rodgers, J. J. W., on transportation of uranium in hydrothermal solutions, 1019
Addie, George, *Silver-gold ratios in some Witwatersrand conglomerates* (discussion), 325
Simple solution of the two drillhole problem giving one answer (communication), 149–150
Adler, Hans H., *The conceptual uranium ore roll and its significance in uranium exploration,* 46–53
Adularia, 1453
Aerosols, related to ore transport in gaseous fluid, 44
Aeroradiometric surveys, 311
quantitative interpretation, 314
reconnaissance flights, 317
Agar trap, and agar gel, 648, 653
Age determinations, 966
Agria blumenbachi, 433
Aguirre, Luis and Mehech, Sonia, *Stratigraphy and mineralogy of the manganese sedimentary deposits of Coquimbo Province, Chile,* 428–442
Ahamad, F., on fire clay in the Makrikhoh area, 1140
Ahlfeld, F., on assemblage of minerals regarded as hydrothermal, 1451
on deposit of manganese oxides, Bolivia, 1455
on veins of Pumahuasi area, Tertiary, 133
Ain-ez-Zauia, Libyan lake, 1478, 1480
Aitchson, J., and Brown, J. A. C., on formulae for log normal distribution, 644
Alabandite, 1469
Alaska, fluorite-beryllium deposits, 920–929
Alaskite, hydrolytic alteration of, 559
Alden shield, 1374
Alderman mine, Colorado, 1451, 1454
Aldrich, H. R., on origin of chert, 1029
Alexandrov, E. A., on iron formations, 1028
Alexandrov, E. A., reviews of *Geologiya Rudnykh Mestorozhdenii,* 180, 339, 732, 1181, 1402
Algal bolls, 406, 407
Algal structures, Northern Rhodesian copper belt, 397–415
Aliste, T., Nelson, and Carter, W. D., *Paleo-channels at the Guayacan copper mine, Cabildo District, Aconcagua Province, Chile,* 1283–1292
Alkali feldspars, 555
Allan, E. T., and Lombard, R. H., on dissociation curve for pyrite to pyrrhotite + sulfur, 1589
Allanite, 1349, 1351, 1355
Allen, A. T., Pirkle, E. C., and Yoho, W. H., *Origin of the silica sand deposits of the Lake Wales ridge area of Florida,* 1107–1139
Allsman, P. L., on minerals in Philipsburg ores, 55
Almond, H., on potassium pyrosulfate fusion method to determine readily extractable copper content of rocks, 1493
Alpha particle energy spectrum, 589
Alpha spectrometer measurements, 571
Alpha spectrometry, 587
Alpine peridotites, 1501
Alston orefield, Northern Pennines, 13, 14, 15, 16
genesis, 17
Altcrin Hill, beryl deposits, 1547
Altschuler, Z. S., Dwornik, E. J., and Kramer, H., on kaolinite of the Citronelle Formation, 1126
Aluminum, 1275
Ambrosia Lake deposit—New Mexico, 124
Amedee Hot Springs, California, 633, 634
Ames, L. L., on evidence regarding change in volume, bulk density, and porosity in hydrothermal alteration, 557
Amstutz, G. C., books reviewed by, 186, 737
on syngenetic lead-zinc district features found in Northern Pennines, 18
on syngenetic zoning, 16
Anaerobic sulfate-reducing zone, 653
Anatulia, Southeastern, 1171
Andalusite, 564
Andes, special breccias associated with hydrothermal developments in the (Kents), 1551–1563
Animas ore body, 892
temperature studies, 902
Ankeritic carbonate, 692, 693, 710, 711
Ankeritic siderite, 715
Ankeritization, 707
Anorthosites, 758
Antimony, 533
Antiperthite, 757

INDEX TO VOLUME 59

Absorbance—formula for, 248
Aconcagua Province, Chile, Guayacan mine, 1283
Actinium-227, 587
Active profiles, 1069
Activity, thermodynamic concentration, 539
Adams, J. A. S., Osmond, J. K., and Rodgers, J. J. W., on transportation of uranium in hydrothermal solutions, 1019
Addie, George, *Silver-gold ratios in some Witwatersrand conglomerates* (discussion), 325
Simple solution of the two drillhole problem giving one answer (communication), 149–150
Adler, Hans H., *The conceptual uranium ore roll and its significance in uranium exploration,* 46–53
Adularia, 1453
Aerosols, related to ore transport in gaseous fluid, 44
Aeroradiometric surveys, 311
quantitative interpretation, 314
reconnaissance flights, 317
Agar trap, and agar gel, 648, 653
Age determinations, 966
Agria blumenbachi, 433
Aguirre, Luis and Mehech, Sonia, *Stratigraphy and mineralogy of the manganese sedimentary deposits of Coquimbo Province, Chile,* 428–442
Ahamad, F., on fire clay in the Makrikhoh area, 1140
Ahlfeld, F., on assemblage of minerals regarded as hydrothermal, 1451
on deposit of manganese oxides, Bolivia, 1455
on veins of Pumahuasi area, Tertiary, 133
Ain-ez-Zauia, Libyan lake, 1478, 1480
Aitchson, J., and Brown, J. A. C., on formulae for log normal distribution, 644
Alabandite, 1469
Alaska, fluorite-beryllium deposits, 920–929
Alaskite, hydrolytic alteration of, 559
Alden shield, 1374
Alderman mine, Colorado, 1451, 1454
Aldrich, H. R., on origin of chert, 1029
Alexandrov, E. A., on iron formations, 1028
Alexandrov, E. A., reviews of *Geologiya Rudnykh Mestorozhdenii,* 180, 339, 732, 1181, 1402
Algal bolls, 406, 407
Algal structures, Northern Rhodesian copper belt, 397–415
Aliste, T., Nelson, and Carter, W. D., *Paleo-channels at the Guayacan copper mine, Cabildo District, Aconcagua Province, Chile,* 1283–1292
Alkali feldspars, 555
Allan, E. T., and Lombard, R. H., on dissociation curve for pyrite to pyrrhotite + sulfur, 1589
Allanite, 1349, 1351, 1355
Allen, A. T., Pirkle, E. C., and Yoho, W. H., *Origin of the silica sand deposits of the Lake Wales ridge area of Florida,* 1107–1139
Allsman, P. L., on minerals in Philipsburg ores, 55
Almond, H., on potassium pyrosulfate fusion method to determine readily extractable copper content of rocks, 1493
Alpha particle energy spectrum, 589
Alpha spectrometer measurements, 571
Alpha spectrometry, 587
Alpine peridotites, 1501
Alston orefield, Northern Pennines, 13, 14, 15, 16
genesis, 17
Altcrin Hill, beryl deposits, 1547
Altschuler, Z. S., Dwornik, E. J., and Kramer, H., on kaolinite of the Citronelle Formation, 1126
Aluminum, 1275
Ambrosia Lake deposit—New Mexico, 124
Amedee Hot Springs, California, 633, 634
Ames, L. L., on evidence regarding change in volume, bulk density, and porosity in hydrothermal alteration, 557
Amstutz, G. C., books reviewed by, 186, 737
on syngenetic lead-zinc district features found in Northern Pennines, 18
on syngenetic zoning, 16
Anaerobic sulfate-reducing zone, 653
Anatulia, Southeastern, 1171
Andalusite, 564
Andes, special breccias associated with hydrothermal developments in the (Kents), 1551–1563
Animas ore body, 892
temperature studies, 902
Ankeritic carbonate, 692, 693, 710, 711
Ankeritic siderite, 715
Ankeritization, 707
Anorthosites, 758
Antimony, 533
Antiperthite, 757

Apatite, 762, 766, 1172
uranium content, 1166
Aqueous environment, sulfate-reducing organism, 1476
Aravalli system, 657
Arbarastakh intrusion, age of, 1371
Archipelago-type volcanic environment, origin of banded chert and iron ore, 712
Argentina, manganese oxide veins, 1455
metallogenetic belts in, 126–135
Argentite, Zawar mine, 665, 670
Argillic alteration, East Tintic district, 1570
Argillic zone, 543, 561, 562
Argillization, beottermometer, 140
Argveros formation, 429, 431, 440
age, 433
Arizona, barite veins, 1460
fluorite deposits, 1461
Armoring, 560
Arnold, R. G., et al., on pyrrhotite-pyrite solves curve, 137
Arsenic, 716, 840, 1381
Arseniosiderite, 1450
Arsenopyrite, 642, 796, 1306
and enargite, bacterial oxidation of, 1306–1312
Askew, J. F., on Northern Rhodesian Copperbelt, 123
Association of mineralization and algal reef structures on Northern Rhodesian copperbelt, Katanga, and Australia (Garlick), 416–427
Astrogeology, 527
Atlantic district, Wyoming, 1055
"Atoll" texture, magnetite, 285, 286
Atomic absorption spectrophotometer, 242
Atomic absorption spectrophotometry and the analysis of silicate rocks for copper and zinc (Belt), 240–258
Auboin, J., on ophiolite concept, Vourinon complex, 1517
Augite grains, 761
Aulophycus, 409
Australia, association of mineralization and algal reef structures on northern Rhodesian copperbelt, Katanga, with (Garlick), 416–427
iron formations, 1045
Katherine–Darwin Region, 421
Mount Isa, 422, 423
Autometamorphism of pyroxenite, 681
Autoradiographs, 1010, 1011, 1015, 1016
Averitt, Paul, *Recent trends in coal production in the U.S.S.R. and Communist China* (Communication), 323, 324
Awaruite, 443–448

Bass, Yu. B., and others, book edited by, reviewed, 1609
Baas-Becking, L. G., et al., on biogenesis of metal sulfides, 1485
Baas-Becking, L. G., Kaplan, I. R., and Moore, D., on graph depicting boundaries of natural aqueous environment at earth's surface, 1475
Baas-Becking, L. G., and Moore, D., on *Desulfovibrio desulfuricans,* 8
Baas Becking, L. G. M., on the environment of sulfide deposition, 647
Bacterial oxidation of arsenopyrite and enargite (Ehrlich), 1306–1312
Bailey, S. W., and Brown, B. E., on chlorite replacing greenalite, 1321
Baja California, phosphatic beach sands, 1161
phosphogenic provinces, 1161
Baker, A. A., on conglomerate at base of Moenkopi, 855
Banded chert of Helen iron formation, 691, 704, 712
Banded iron formation, origin, 716, 717
Banerji, A. K., on cross fold structures in India, 1062
on cross folding caused by non-uniform fold-front stresses, 1062
Bansi clays, 1141
fire, sedimentary origin, 1140
flint, 1145
Barakar Formation, 1140
Baringer Hill-type pegmatite, 1349
Barite, 605, 607, 609, 617, 1449
Barite deposits, 1460
Barite zoning in the Illinois–Kentucky fluorspar district (Brecke), 299–302
Barnes, H. L., on solubility of ZnS, 25
on the solubility of zinc in the form of $ZnS{\cdot}H5$ complex ion, 673
The use of thermodynamic laws for the explanation of mineral zoning—A reply (discussion), 158–159
Barrett Knob fault zone, 604
Barton, P. B., Jr., and Toulmin, P., 3rd, *Experimental determination of the reaction chalcopyrite + sulfur = pyrite + bornite from 350 to 500°C.,* 747–752
Basket-weave texture, 1255, 1259
Bastin, E. S., on bacterial sulfate-reduction as source of sulfide, 1474
on pitfalls in the interpretation of ore textures, 1267
on textures and shapes of minerals, 766
on hydrogen sulfide as a "peptizer," 1021
Bastnaesite, 1356, 1358
paragenetic significance, 234–238
red cloud fluorite mine, 228–232
table showing selected occurrences, 236–237
Bateman, Alan M., book reviewed by, 346
Bateman, A. M., on origin of deposits of ilmenite, magmatic, 764
Bateman, P. C., on intrusive rock types in the Batholithic mass near Bishop, 531
Bateman, P. C., and others, on the depth of the Sierra Nevada Batholith, 533

Baywood Promontory, 1132
Baxter deposit, Nevada, 1454
Bedding-plane slippage, 1066
Behre, C. H., Jr., and Garrels, R. M., on lead-zinc deposits of Wisconsin, 1470
Beinn a'Bhuird beryl, 1549
Belezkij, W., on general geology of the São João del Rei area, 989
Bell, Olin G., on the clay fragments in Citronelle Formation, 1119
Belo Horizonte area, 1231
Belt, Charles B., Jr., *Atomic absorption spectrophatometry and the analysis of silicate rocks for copper and zinc*, 240–258
Bense, Claude, book by, reviewed, 1408
Bentonitic clay, 839
Bentor, V. K., on interrelation between the tectonics and the sediments, 1170
on phosphorites in Israel, 1171
on present-day anticlines active during deposition of Upper Cretaceous and lower Eocene rocks, Israel, 1166
Berg, E. L., on chemical analysis of the pipestone, 1048
Bernard, J. H., and Padera, K., on x-ray diffraction of bravoite, 475
Bertrandite, 771
Beryl in the Rosses granite, north-west Ireland (Burke, Cunningham, Gallagher, and Hawkes), 1539–1550
Beryllium, 768–774, 1357
association with tin deposits rich in fluorite (communication), 920–925
ores, Alaska, 921
Beryllium in the Oslo Region, Norway, the distribution of—A geochemical stream sediment study (Brinck and Hofmann), 79–96
Beta-$Be(OH)_2$, 774
Beta beryllium hydroxide, 1359
Betechtin, A. G., on podiform deposits, types of deposition, 1518
Beus, A. A., book by reviewed, 337
on average content beryllium in granites, 1548
Bhattacharji, S., on translation vector, 1068
Bicarbonate-sulfur-charged solutions, Helen iron range, 704
Bien, G. S., Contois, D. E., and Thomas, W. H., on coprecipitation of silica, 1029
Biochemical aspects, syngenesis of sulfide ores: an evaluation of (Temple), 1473–1491
Biochemical cycle, 826–834
Biogenesis of metal sulfides, 1485
Biogeochemical techniques, 1381
Bioherm, 421, 422, 424
Biquinoline, 1492, 1493
Birnesoite, 69
Biruni, Al, book by reviewed, 1189
Bishop, Ernest W., on origin of Citronelle formation, 1117
on terrestrial origin for Citronelle sediments, 1122
Bisulfide ion, 452
Biwabik Formation, 1029, 1332
Bixbyite, 1441
Black calcite, 1450
Black Mountain kaolinite, 648
Black sands, ores of titanium, 296
Black Sea, bottom sediments, 4
H_2S content, 1478
Blankenship, J. L., on an Ortec P-N junction semiconductor, 588
Bleaching, 842
Bleaching of hanging wallrocks, 818, 819, 822
Blind River area, Canada, 1202
Bloom, H., on toxic nature of many organic solvents, 1596
Bloem, J., and Kröger, F. A., one equilibrium, crystal-vapor, 1022
Blondel, F., on "banded quartzite, Precambrian" type, 1045
Blowhole Hill, 1582
Bohemia, kimberlites, 1377
Bohemian Massif, 874, 876
Boiling Springs, Idaho, 633, 634
Boliva, manganese oxide veins, 1455
Bonorino, F. G., on secondary K-feldspar of Front Range, Colorado, 563
Bonorino, G., on granite rocks of Pampean Ranges, 130
Boone Creek veins, 612, 613
Borchert, H., on primary concentration of trace elements, 3
Bornite, 750, 751, 1289
"sedimentary" in red-beds (Gaucher), 303–308
Bornite-chalcopyrite exsolution, 1242
Bornite-digenite solid solution, 751
Boron, 716
Borooah, S. K., book by reviewed, 1612
Bott, M. H., on granite beneath Alston Block, 17
Boulder, Colorado, 545
Bowie, S. H., et al., on electronic field and laboratory instruments for detection of beryllium, 1540
Bowie, S. H. U., and Taylor, K., on single standard, pyrite, for reflectivity, 1156
Boxworks of quartz, Nickel Mountain, Oregon, 382
Boyle, R. W., *Origin of Yellowknife gold deposits* (discussion), 1176–1177
Braun, H., book by reviewed, 952
Braunite, 437, 438, 1441
Bravoite, 446
composition of natural, 476, 477, 478
electron-probe analyses, 476
experimental work, 479
hydrothermal syntheses of, 482
ore microscopy of, 475
zonal structure of, 485, 486

Brazil, Minas Gerais, geology of the Raposos gold mine (Tolbert), 775–798
supergene iron ores of (Dorr), 1203–1240
tin-tantalum-lithium pegmatites of the São João del Rei district (Heinrich), 982–1002
Brebrick, R. F., and Scanlon, W. W., on etch-pit patterns for dislocation studies, 1022
Breccia, burst, 1560
heave, 1558
kneaded, 1559
late-magmatic, 1559
milled, 1559
replacement veins, central Kentucky, 605
rupture, 1554
subsidence, 1556
Breccias, special, associated with hydrothermal developments in the Andes (Kents), 1551–1563
Brecke, E. A., Barite zoning in the Illinois-Kentucky fluorspar district, 299–302
Manto deposits of fluorspar, Northern Coahuila, Mexico (discussion), 509–510
discussion by discussed, 936–937
A possible source of solutions of the Illinois-Kentucky fluorspar district, 1293–1297
Brett, Robin, *Experimental data from the system Cu-Fe-S and their bearing on exsolution textures in ores*, 1241–1269
Brinck, J. W., and Hofmann, Albert, *The distribution of beryllium in the Oslo Region, Norway—A geochemical stream sediment study*, 79–96
Broadhurst, S. D., on ilmenite deposit of the Yadkin Valley of North Carolina, 763
Broderick, T. M., on magnetite in the more highly metamorphosed eastern Mesabi and western Gunflint, 1332
Brodkorb, Pierce, on usage of the term "Hawthoren," 1111
Broken Hill, Australia, 1062, 1085, 1087, 1091, 1474
Brongersma-Sanders, M., on mass mortalities of fish in areas of upwelling, 1164
on upwelling ocean water, 1161
Brown, A. G., on ages of Sachenga group, 978
Brown, B. W., *A statistical case study in geochemical prospecting for copper* (communication), 492–498
Brunn, J. H., on ophiolite concept, Vourinon complex, 1517
Bucher, W. H., on the origin of Serpent Mound, 620
Buddington, A. F., on mineral content of metalliferous deposits changing with depth from surface, 1459
Buena Vista iron ores, Churchill County, Nevada geology and minerology of (Radtke), 279–290
Buerger, M. J., on fluid inclusions in galena crystals, 896
Bunkdelkhand gneiss, 657
Burbank, W. S., on epithermal base-metal deposits, 1466, 1468
on volatile components of hydrothermal solutions, 564, 565
Burke, K. C., Cunningham, M. A., Gallagher, M. J., and Hawkes, J. R., *Beryl in the Rosses granite, northwest Ireland*, 1539–1550
Burnham, C. W., *Facies and types of hydrothermal alteration: a reply* (discussion), 332–333
on a system of classification of hydrothermal alteration assemblages, 547
Bur'yanova, E. Z., book by reviewed, 338
Bushveld Igneous Complex, age determination, 1045
Bushveld complex, magnetite-bearing pegmatites in, 197–225
Butler, B. S., on the nature of the alteration mineral suite, 558
Butlin, K. R., and Postgate, J. R., on continuous flow culture apparatus, 1477
on sulfate-reduction rates, Lake Ain-ez-Zauia, Libya, 1479, 1483
Butte, Montana, 543, 544, 1459
Butte-type alteration pattern, 561

Caballos Novaculite, West Texas, 1029
Cadmium, 613, 617
Cady, G. H., book reviewed by, 942
Cady Mountains, California, 1451
Cahen, L., et al., on age determinations on uranium minerals from Katanga Province and the Copperbelt, 970
Calaveras Formation, 532
Calcic plagioclase, alteration of, 559
Calcite alteration, ferruginous, North Tintic district, Utah, 1576
Caledonian and Variscian tectogenesis, 878
California, Sierra Nevada batholith, 528
Calkins, F. C., on the intrusive rocks in Yosemite Valley, 531
Cambon, T., on lead as having a reflectivity of 62 percent, 1155
Cameron, E. N., on ultimate standards prepared by vapor deposition on a substrate, 1157
Cameron, E. N., and Emerson, M. E., on stratiform deposits of chromite, 1518
Campbell, J. D., on asymmetric reciprocating liaison forms basic zig-zag pattern, 1089
on *en echelon* folding, 1062
on *en echelon* patterns, 1087

Cameron, Eugene N., and Desborough, George A., *Origin of certain magnetite-bearing pegmatites in the eastern part of the Bushveld complex, South Africa*, 197–225
Canberra, A. C. T., 648
Canga, 1211, 1213, 1219–1223
  chemical, 1221
  origin of, 1232
Canney, F. C., and Hawkins, D. B., on cold acid extracts, 144
Canney, F. C., and Nowlan, G. A., *Determination of ammonium citrate-soluble cobalt in soils and sediments*, 1361–1367
  Solvent effect of hydroxylamine hydrochloride in the citrate-soluble heavy metals test (discussion), 721–722
Capillary, limonite from solution brought to surface, 1234
Carbon dioxide, 874–882
  genesis of, summary of theories, 875
Carbonatites, 1368, 1373, 1374
Carey, S. W., on Rheid Concept, 1062
Carpenter, Robert Heron, *Some vein-wall rock relationships in the Pine mine—a reply* (discussion), 1179–1180
Carr, W. J., and Alverson, D. C., on usage of term "Hawthorne," 1111
Carruthers, D. S., and Pratten, R. D., on right-hand and left-hand *en echelon* patterns, 1089
Carter, W. D., on Guayacan mine, Chile, 1284
Carter, W. D., and Aliste T., Nelson, *Paleo-channels at the Guayacan copper mine, Cabildo District, Aconcagua Province, Chile*, 1283–1292
Cassiterite, 982, 987, 988, 997
Castle Dome, Arizona, 545
Cate, R. B., *New data on the chemistry of submerged soils: possible relationship to bauxite Genesis* (discussion), 161–162
Cathcart, J. B., on phosphatic limestone, Florida, 1173
Cave-In-Rock, fluorspar district, Illinois, 301, 302
Cayeux, Lucien, on North Africa cherts, 1172
Central mining district, New Mexico, 542, 563
Central Tennessee district, 599
Cerrillos, New Mexico, 1525
Cerro Bolivar, Venezuela, *iron ores of* (discussion), 330
Cerro Espino, 756
Cesium, 768, 771
Chalcophanite, 67, 68
Chalcopyrite, 449, 453, 1289
Chalcopyrite + sulfur = pyrite + bornite, experimental determination of the reaction from 350 to 500°C. (Barton and Toulmin), 747–752
Chalcopyrrhotite, as a geothermometer, 140
Chamberlain, Barbara Blau, book by reviewed, 1408
Chambishi, 420
Charnockites, 678, 679, 683
Chat formations, India, 678
Chebanenko, I. I., book by reviewed, 337
Chemical alteration, Helen iron formation, 701, 702
Chemical analysis, volcanic complex, Helen Iron Range, 693, 694, 696
Chemical aspects of hydrothermal alteration with emphasis on hydrogen metasomatism (Hemley and Jones), 538–569
Chemical changes involved in replacement of bronzite to olivine, 222
Chemistry of submerged soils, possible relationship to bauxite genesis, new data on (discussion), 161–162
Chert beds, 451
Chevron folding, 789
Chile, Antofagasta coastal batholith, 1562
  central, copper distribution patterns in soils and drainage (De Grys), 636–646
  metallogenetic belts in, 126–135
  stratigraphy and mineralogy of the manganese sedimentary deposits of Coquimbo Province (Aguirre and Mehech), 428–442
Chilean Andes, 638
China, fifth in production of pig iron, 1271
Chinle deposits, Lisbon Valley, Utah, and Cameron, Arizona, 872
Chinle formation, 851, 854, 855
  measured section, 857
Chinner, G. A., on exidation state of a rock as established during sedimentation, 1103
Chlorine, juvenile origin of, 881
Chlorite, 559, 761, 786
Chrome-diopside, 1377
Chrome-spinellids, 1370
Chromian sericite, 785, 795
Chromite, 446
Chromite-bearing serpentinites, 1343–1347
Chromite deposits of the Keonjhar District, Orissa (India) (Varma), 799–825
Chromite deposits, podiform, principal features and origin of, and some observations on the Guleman-Sordağ district, Turkey (Thayer), 1497–1524
Chromite from Kondapalle, Kristna District, Andhra Pradesh, India (Krishna Rao), 678–683
Chromium, 786, 796, 797
  origin of, 795
Chukhrov, F. V., and Bonshtedt-Kupletskaya, E. M., book edited by reviewed, 516
Cincinnati arch, 597, 601, 615, 618

Cinnabar, solubility of, in Na_2S solutions at 50–250°C and 1–1,800 bars, with geologic applications (Dickson), 625–635
Citrate-soluble cobalt, dispersion patterns, 136
determination of ammonium in soils and sediments of, 1361–1367
Citronelle formation, 1111, 1114
Clark, L. A., and Kullerud, G., on the Fe S_2-NiS_2 system by dry methods, 479
Clark, L. J., on manganese inhibits formation of the cobalt 2-nitroso-1-naphthol complex, 1366
Clark, R. E., on zinc derivative, 144
Clausthalite (PbSe), 150
Clay, 1141
dehydration of, 1151
Clegg, K. E., on Illinois natural coke, 927
Cloke, Paul L., and Kelly, William C., *Solubility of gold under inorganic supergene conditions,* 250–270
Cloos, H., on terminology for plutons and inclusions within podiform deposits, 1512
Clostridium nigrificans, 1482
Coal, 926–929
Coal production, U.S.S.R. and Communist China, recent trends, 323–324
Coastal Cordillera, Chile, 1285
Coats, R., on pyrite not essential to propylitization, 761
Cobalt, 826–834
content, bravoite, 477
standards, 1364
Cobalt : zinc ratios, 831
Cockade texture, 663, 665
Coirwong Creek, 422
Coke, natural, 927
Coleman, R. G., on optical data of Adularia, Niggerhead deposit, 1453
Coles, M., on younger trees, up to 10 years old, not reaching deeper levels of water table (personal communication), 831
Collenia, 421
Collenias structures, Northern Rhodesia, 401, 405
Colloform magnetite in a contact metasomatic iron deposit, Vancouver Island, British Columbia (Stevenson and Jeffery), 1298–1305
Colloform magnetite, Espanola, Ontario, 1300
Colloidal silica, 392
Colloidal uranium, 1021
Colorado, fluorite deposits, 1461
Harold D. Roberts tunnel, 466, 467
Colorimetric determination of ash, 828
Colorimetry, compared with atomic absorption, 253, 254
Communications—
An aid to prospecting for kimberlites (Dawson), 1385–1386
Communications—Continued
The application of white spirit as a solvent for dithizone in geochemical analysis for copper in tropical climates (James), 1596–1598
Arsenic in soils and sediments, the field determination of (Stanton), 1599–1602
Association of beryllium with tin deposits rich in fluorite (Sainsbury), 920–925
Binary system, PbS-PbSe (Simpson), 150
The field determination of arsenic in soils and sediments (Stanton), 1599–1602
A method of calculating reserves in tabular orebodies (Gilmour), 1386–1389
Notes on similarities between some Canadian gold deposits and the Homestake deposits of South Dakota (McConnell), 719–720
Petrological characteristics of Barakar coal, metamorphosed by lamprophyre Sill, in Jharia coalfield, India (Pareek), 926–929
The role of arsenic as a pathfinder in biogeochemical prospecting (Warren, Delavault, and Barakso), 1381–1385
A simple solution of the two drillhole problem giving one answer (Addie), 149–150
Problems of postmagnetic ore deposition (Park), 322–323
Recent trends in coal production in the U.S.S.R. and Communist China (Averitt), 323–324
A statistical case study in geochemical prospecting for copper (Brown), 492–498
Thermal metamorphism of the sulfide minerals at Zawar Mines, Rajasthan, India (Mookerjee), 498–500
Complex ions, means of transport of metals, 672, 673, 674
Comstock Lode, 1463
Conceptual uranium ore roll and its significance in uranium exploration (Adler), 46–53
Condensation of metal compounds from gaseous state with variation in HCl, 31, 32, 33, 36
with variations in. oxidation state, 38
with variations in temperature, 39, 41
Condon, M. A., and Walpole, B. P., on syngenetic origin of mineralization in Pine Creek geosycline, 421, 322
Contoured method, calculating reserves of tabular orebodies, 1387
Cooke, C. Wythe, on Bone Valley Formation, 1111
on usage of term "Hawthorne," 1111

Copper, 826–834
Aconcagua province, Chile, 1283
associated with uranium ore, 869
deposits in Shinarump, White Canyon, 867
distribution patterns in soils and drainage in Central Chile (DeGrys), 636–646
geochemical analysis for, 1596
mineralization in the Corocoro Basin, Bolivia (Ljunggren and Meyer), 110–125
mineralization, related to algal deposits, 411
porphyrites, 1551
production in the United States, 1275
relation of, to rock types in an area of known economic mineralization (Stanley), 1492–1496
a statistical case study in geochemical prospecting for (communication), 492–498
sulfate, effect on (desulfovibrio), 277
toxicity, 647, 1488
Coprecipitation of silica, 1029
Coriolis force, 1162
Corocoro Basin, Bolivia, copper mineralization in, 110
Coronadite, 1443
Corral Quemado District, 438
Corvusite, 868
Coto podiform deposit, Luzon, 1514
Cousins, C. A., on a placer for gold, silver, uranium and osmiridium in the Witwartersrand system, 636
Cox, M. W., and Mollister, V. F., on soil over-oxidized ore, 833
Cox veins, Kentucky, 613
Creasey, S. C., on hydrothermal alteration in the porphyry copper deposits, 547
Cressman, E. R., on origin of Permian rocks, 1161
Cristobalite, 1151
Cristi, M., on Andes during Pliocene, 132
Crookston, J. A., on formation of cristobalite from Ksolinite, 1145
Cross fold deformation by simple shear (O'Driscoll), 1061–1093
Cross folds, 1062
Cross sections, extrapolation from known to unknown, 465, 466
Cruft, E. F., *Trace element determinations in soils and stream sediments by an internal standard spectrographic procedure*, 458–464
Cu-Fe-S system, 1241–1269
Cullen, D. J., on circulation barrier in origin of Precambrian iron formations, 1050
Cumberland River prospects, 614, 617
Cumberlidge, John T., and Stone, John G., *The vulcan iron formation at the Groveland mine, Iron Mountain, Michigan*, 1094–1106
Cunningham, M. A., Burke, K. C., Gallagher, M. J., and Hawkes, J. R., *Beryl in the Rosses granite, northwest Ireland*, 1539–1550
Cuvettes, of the Corocoro Basin, 115
Cuyuna district, K-Ar ages, 1044
Cyanogen spectra, 458
Cynthiana formation, 605
Cryptomelane, 65
Cryptovolcanic structures, Kentucky, 620
Cryptozoön, 410
Crystal, defects, 1022
Cyrtolite, 1352, 1358
Czechoslovakia, 874

Dall, W. H., on description of Hawthorne sediments, 1113
Darwin lead-zinc area, zoning around small stock, 535
Daughter minerals, 905, 908
Davidson, C. F., books reviewed by, 168, 335, 516, 946, 1186, 1608
on diamantiferous diatremes, 1368–1380
on hydrothermal hypothesis, Kupferschiefer-Marl Slate, 9
on Nchanga red granite as a mantled gneiss dome, 972
Sulfate-reducing bacteria and copper toxicity (discussion), 938–939
Davison, W. M., IV, on postmagmatic veins in Providencia stock, 888
Dawson, J., on beryllium content, Foxdale granite (personal communication), 1548
Dawson, J. B., *An aid to prospecting for kimberlites* (communication), 1385–1386
Deans, T., on copper deposits, Richelsdorf, W. Germany, 7
deposition of sulfides of heavy metals, 10
Decay constants, 962
De Grys, Ann, *Copper distribution patterns in soils and drainage in central Chile*, 636–646
Dehydration, 1151
reactions, 553
DeLaumont, F.P.N.G., on engravings of Widmanstätten textures, 1265
Derby, O. A., on canga, 1219
Desborough, George A., and Cameron, Eugene N., *Origin of certain magnetite bearing pegmatites in the eastern part of the Bushveld complex, South Africa*, 197–225
Description and origin of uranium deposits in Shirley Basin, Wyoming (Melin), 835–849
Desorption of metal ions, 650, 651, 652, 653
Desul Fovibrio, 647, 648, 1482, 1483
effect of copper toxicity on, 272, 273, 277
sulfate reducing bacteria, 120

deSwardt, A. M. J., on the Nchanga granites, 972
deSwardt, A. M. J., and Drysdall, A. R., on geology of the central part of Northern Rhodesia, 963
Determinations of ammonium citrate-soluble cobalt in soils and sediments (Canney and Nowlan), 1361–1367
Dette, K., on littoral and sublittoral facies, 8
Deuteric minerals, 766
Development of magnetite in iron-formations of the Lake Superior region (LaBerge), 1313–1342
Devitrification, by bicarbonate-sulfur-charged solutions, 704
Dextral shear, 1072, 1073
Dey, A. K., on chromite from the Kondapalle area, 678
Diagenesis, magnetite, 1336
Diagram
  Ag_2S content of galena crystals, 1013
  aluminum, production of, 1277
  arsenopyrite, iron solubilization from, 1309
  arsenopyrite, oxidation of, 1308
  block, structural and stratigraphic relationships between individual ore bodies, 282
  bornite + pyrite + chalcopyrite equilibrium, 748
  Casa de Pedra deposit, relation of supergene ore to depths below surface, 1225
  chalcopyrite-bornite 2 phase system, 305
  compositions of natural bravoites, 479
  concordia plot, Irumi Hills monazites, 966
  copper, production of, 1273, 1274
  Cu-Fe-S system, phases within, 1249
  distribution and orientation of mineralized cuvettes in the flanks of anticlines faulted in their axial planes, 119
  enargite, oxidation of, 1311
  exsolution, wedges, 1257
  Fe-S-O system, 1590
  generalized paragenesis, Providencia ore bodies, 895
  geological section across Onverwacht platinum pipe, 215
  hypothetical, diffusion gradients and zonal relations in typical Butte alteration envelope, 561
  idealized, courses of alteration in alkali feldspar and plagioclase rocks, 559
  iron solubilization from arsenopyrite, 1309
  Lake Faro, boundary of oxygenated and reduced zones in, 1480
  laminar model, 1076
  lead, production of, 1276
  magnetic material and copper content of drill core, Stewart, British Columbia, 1494
Diagram—*Continued*
  mineral stability relations in system K_2O-Na_2O-Al_2O_3-SiO_2-H_2O, 554
  O_2 and H_2S concentrations at various depths in Black Sea, 1478
  oxidation of arsenopyrite, 1308
  paragenetic diagram, tri-state district, 455
  paragenetic sequence of primary minerals in Tri-State ores, 455
  paths of cooling of altering hydrothermal solution, 566
  petroleum, production of, 1279
  phase relations in system FeS_2-NiS_2, 480
  pig iron, per capita, production, 1272
  phase relations, PbS-PbSe system, 152
  pressure correction for solutions of pure water, 5, 10, and 20 wt. % NaCl, 900
  proposed, chalcopyrite-bornite 2 phase system, 305
  relation between syngenetic copper and facies of sediments, 120
  schematic, atomic absorption spectrophotometer, 242
  schematic, hydrothermal solution equipment, 626
  sketches, vein sequences showing relationship between paragenesis and zoning, 610
  stability fields of copper compounds in the system Cu-H_2O-O_2-S-CO_2, 1475
  tintic mining district, stratigraphic control of metallic ore, 1566
  Tutamea deposits, relation of supergene ore to depths below surface, 1224
  Uranium content of galena crystals, 1014
  variation of Cr_2O_3, Al_2O_3 and Fe_2O_3 in podiform chromites, 1499
Diamantiferous Jurassic sediments, 1370
Diamonds, 1368
Diatremes, diamantiferous (Davidson), 1368–1380
Dickinson, W. R., on paleozoic and mesozoic volcanic rocks in the Sierran Foothills, 530
Dickson, F. W., *Solubility of cinnabar in Na_2S solutions at 50–250°C and 1–1,800 bars, with geologic applications*, 625–635
Differential thermal analysis, fire clays, 1148
Differentiation of ore solutions in situ after their injection, chromite deposits, 823
Diffractograms, proportions of Kaolinite, 662
Diffusion of uranium through galena, 1017
Digenite, 751
Direction of flow of mineralizing medium, Zawar mine, 667
Disbrow, A. E., and Stoll, W. C., on stratigraphic units, Cerrillos area, New Mexico, 1527

Discussions—
Distribution of radioactivity in the Mosaboni copper mine, Bihar, India (Mookherjee), 501–502
Dithizone field tests (Scanton), 1178
Establishment and activity of the provisional commission on the genesis of ore deposits (Kutina), 939–941
Facies and types of hydrothermal alteration: A reply (Burnham), 332–334
Formation of ore deposits by water of compaction (Reynolds), 723–724
Hydration energy—a possible contribution to crustal heat—a comment (Schuiling), 937–938
Hydrothermal versus syngenetic theories of ore deposition (Sales), 162–167
Iron ores of Cerro Bolivar, Venezuela (Nandy and Dutt), 330–332
The iron ores of Cerro Bolivar, Venezuela (Ruckmick), 1397
Manto deposits of fluorspar, Northern Coahuila, Mexico (Brecke), 509–510
Manto deposits of fluorspar, northern Coahuila, Mexico (Gutiérrez), 935–936
Manto deposits of fluorspar, northern Coahuila, Mexico (Temple and Grogan), 936–937
Manganese ores, Andhra Pradesh, India (Roy), 154–157
New data on the chemistry of submerged soils: possible relationship to bauxite genesis (Cate), 161–162
Nickeliferous laterites in southwestern California (Routhier), 1396
Origin of Yellowknife gold deposits (Boyle), 1176–1177
Remarks on quantiitative measurements of reflectivity (Ramdohr), 502–509
Reflection characteristics of ore minerals (Gray and Millman), 1394–1395
Remobilization of sulfide orebodies (Smith), 930–935
Silver-gold ratios in some Witwatersrand conglomerates (Addie), 325
Solvent effect of hydroxylamine hydrochloride in the citrate-soluble heavy metals test (Canney and Nowlan), 721–722
Some vein-wall rock relationships in the White Pine mine—a reply (Carpenter), 1179–1180
Sulfate-reducing bacteria and copper toxicity (Davidson), 938–939
Synthetic and natural phases in the system Au-Ag-Te (Petersen), 1390–1394
Thermal glow tests as a guide to ore deposits (McDougall), 326–327
The use of thermodynamic laws for the explanation of mineral zoning—a reply (Barnes), 158–159
Discussions—Continued
Vein-wall rock relationships, White Pine Mine (Rand), 160–161
Yellowknife gold-quartz deposits (McConnell), 328–330
Zawar lead-zinc mine—hypogene-hydrothermal or remobilized? (Pereira), 1603–1604
Disequilibrium, lack of in Shinarump ore, 869
Dispersion aureoles, around uranium deposits, 310
Dispersion patterns, 636
primary, 637
Dispersion of radio elements, Boso Mine, Karnes Co., Texas, 315
Dissociation of HgS, 632
The distribution of beryllium in the Oslo region—Norway—a geochemical, stream sediment study (Brinck and Hofmann), 79–96
Distribution of uranium deposits in the White Canyon-Monument Valley District, Utah-Arizona (Young), 850–873
Disulfide formation, 483
Dithizone, 652, 1596
technique used to determine copper content, 638
Dittler, E., and Köhler, A., on antiperthite not due to exsolution, 757
Dolomitic mottling, 407, 408, 409
Dolomitization, hydrothermal, 1568
Dooley, J. R., Jr., Tatsumoto, M., and Rosholt, J. N., *Radioactive disequilibrium studies of roll features, Shirley Basin, Wyoming*, 586–595
Dorr, J. V. N., 2d, on Morro do Urucum deposits, 1046
Supergene iron ores of Minas Gerais, Brazil, 1203–1240
Dorr, J. V., II, Guild, P. W., and Barbosa, A. L., on formation of canga in Quadrilátero Ferrífero, 1233
Dorr, J. V. N., and Barbosa, A. L., book by reviewed, 511
Dott, R. H., on multiple orogenic and epeirogenic events throughout the history of a mobile belt, 529
"Drag-fold" shape, 1085
Drysdall, A. R., on geology of the central part of Northern Rhodesia, 963
Drysdall, A. R., and Garrard, P., on the Nchanga granite, 973
Drysdall, A. R., Snelling, N. J., Hamilton, E. I., and Stillman, C. J., *A review of age determinations from Northern Rhodesia*, 961–981
Dual alteration facies, 661
Du Bridge, L. A., on the present day geologist, 527
Ducktown type deposits, 1588
Dumorticrite, 564

Dunham, K. C., *Neptunist concepts in ore genesis*, 1–21
on small late veins of calcite containing manganese, 1450
on zoning at the Northern Pennine ore deposits, 619
Dunite, podiform chromite deposits, 1502
Dunn, J. A., on copper lodes of Mosabhoni Copper Mine, 136
Durum, W. H., and Haffty, J., on iron in large rivers of North America, 1028
Dutt, A., and Nandy, N. C., *The iron ores of Cerro Bolivar, Venezuela* (discussion), 330–332
Dynamic metamorphism, 813

East tintic, Utah, 545, 1573
Eclogites, 1375
Edwards, A. B., on heating experiments on ore, 1243
on lamelae formed only when an ore deposit has underground rapid cooling, 1266
on mutual boundary textures, 1267
on pitfalls in the interpretation of ore textures, 1267
on pyrite pseudomorphs after pyrrhotite in Tasmanian occurrence, 1592
on segregation during exsolution, 1243
Ehlmann, A. J., Walper, J. L., and Williams, J., *A new, Baringer hill-type, rare-earth pegmatite from the central mineral region, Texas*, 1348–1360
Ehrenberg, H., Pilger, A., and Schröder, F., on pyrite-sphalerite-barite deposit, Meggen, Westphalia, 2
Ehrlich, R. L., *Bacterial oxidaiton of arsenopyrite and enargite*, 1306–1312
Eichler, J., on João Perreira area near Casa de Pedra (written communication), 1231
on manganiferous canga (personal communication), 1235
Eisenhuth, K. H., and Kautzsch, E., on bibliography of Kupferschiefer-Marl Slate, 6
Ekiert, F., on area of Kupferschiefer shale deposit around Harz, 8
on exhalative-sedimentary origin for Kupferschiefer, 12
Electrolyte-free environment, 560
Electron-probe analyses, bravoite, 476
Electronic probing, lead, 1445
Electrum-tarnish intervals, reversed, 749
Electrum tarnish method, chalcopyrite + pyrite + bornite assemblage, 747–752
Eliseev, N. A., book edited by reviewed, 1187
Ellis, A. J., and Wilson, S. H., on occurrence of fluorine and other elements in Wairakei (New Zealand) hydrothermal waters, 773
El Salvador, copper orebody, 1553
Emmons, W. H., on mineral content of metalliferous deposits changing with depth from surface, 1457
Emmons, W. H., and Calkins, F. C., on geology of Philipsburg Quadrangle, Montana, 55
on origin of hypogene mineralization in Philipsburg granodiorite batholith, 61
Emmons, W. H., and Laney, F. B., on Ducktown mining area, 1589
Enargite, 454, 1306
and arsenopyrite, bacterial oxidation of, 1306–1312
En echelon patterns, 1087, 1089, 1090
Engineering geology, three-dimensional projection of geologic features, 466
Entwistle, L. P., and Gouin, L. O., on chalcocite mineralization, Corocoro mine, 115
on copper mineralization in river channels, Corocoro mine, 121
on Corocoro mine, Bolivia, 112
Ephemeral springs, 1228
Epidiorites, 802
Epidote, 563
Epigenetic ore, 674
Epithermal deposits, age of, 1468
base-metal, 1466
gold-silver, 1463
metalliferous, 1468
zonal relations, 1466
Epoxy resins, used for mounting mineral grains, 292–293
Equilibrium constant, 540, 551
Equilibrium constant principle, 539
Equilibrium relations, 556, 557
Eskola, P., on mantled gneiss domes, 972
Espenshade, G. H., and Spencer, C. W., on usage of term "Hawthorne," 1111
Espírito Santo Orebody, 794
Espírito West Orebody, 794
Eugster, H. P., on oxidation and reduction, 1337
Europe, Central, Variscian platform, origin and occurrence of carbon dioxide and gaseous mineral waters (Vrba), 874–882
Precambrian iron formations, 1045
Eutectoid intergrowths, 1267
Euxinic environment, 1053
Evenson, C. G., and Gray, I. B., on preference of uranium deposits, 870
Evernden, J. F., on age of intrusion, Eastern Andes, 115
Experimental data from the system Cu-Fe-S and their bearing on exsolution textures in ores (Brett), 1241–1269
Experimental determinations of the reaction chalcopyrite + sulfur = pyrite + bornite from 350 to 500°C. (Barton and Toulmin), 747–752
Exploration for phosphorite in Turkey—a case history (Sheldon), 1159–1175

Exploration program for nickel in the Southeastern United States (Worthington), 97–109
Exsolution, 1241
chalcopyrite-bornite, 303–308
noncoherent, 1258
textures, 1241–1269
wedges, 1258

Faircloth veins, 609, 612
Faría Zone, 780
Faults, subsurface projection of, 472
Fecklickev, V. G., on calculating *n* and *k* from measured values for rotation of polarization angle, 1154
Feigl, F., on tests for arsenite and arsenate, 1307
Felch Mountain district, 1094, 1315
Feldspar, age determination of, 968
Ferguson, H. G., and Gannett, R. W., on the depth of formation of the gold deposits in the Alleghany district of northern California, 533
Fergusonite, 1351, 1358
Ferrobacillus-Thiobacillus, 1306
Ferruginous bauxite, 1219
FeS_2-CoS_2-NiS_2 system, metastable solid solution relations in (Springer, Schachner-Korn, and Long), 475–491
Filimonova, A. A., on formation of chalcopyrite from bornite and pyrite, heating in open system, 1243
Finch, W. I., on "East White Canyon Belt," 867
Finnell, T. L., et al., on sub-ore grade uranium in lenses of chalcedony, 868
Fire bricks, 1141
Fire clays of Bansi, Southwestern Mirzapur, Uttar Pradesh, studies on (Mohan and Prakash), 1140–1152
Fischer, R. P., and Hilpert, L. S., on uranium -roll-ore deposits, 46
Fisher, L. W., on the classification of chromite by R_2O_3:Ro ratios, 679
Fischer, R. P., and Stewart, J. H., on distribution of copper, uranium, and vanadium ores in sandstones in U. S., 123
on precipitation of copper through presence of carbonaceous material, 123
Fisher, N. H., on galena-sphalerite and chalcopyrite deposits, Mount Isa, Queensland, 3
Fisher, R., on normal grabbro separated into two liquids at 1400° C, 1346
Fissure veins, central Kentucky, 605, 621, 622
"Flames," 1259
Flaschen, S. S., and Osborne, E. F., on dissociation of water, 1337
Fleischer, M., on ionic or atomic radii in predicting solid solutions, 1006
Flint, D. E., de Albear, J. F., and Guild, P. W., on dike sequence cutting chromite, central Cuba, 1515
Florida, Lake Wales Ridge area, origin of the silica sand deposits of (Pirkle, Yoho, and Allen), 1107–1139
Fluid inclusion studies, fluorite, sphalerite, 887
Fluorine, extracted from the phosphate, 1296
Fluorite, 607, 612, 613, 616, 618, 770, 771, 892, 893
associated with manganese oxides, 1449
Fluorite-Bastnaesite deposits of the Gallinas mountains, New Mexico and Bastnaesite Paragenesis (Perhac and Heinrich), 226–239
Fluorite deposits, Southwest U. S., 1461
Fluorite-beryllium deposits, 920
Fluorspar area, Illinois–Kentucky, 1293
Fluorspar district, the Illinois–Kentucky barite zoning in (Brecke), 299–302
Fluorspar in weir sand, 599
ore, 605
districts, central Tennessee and Kentucky–Illinois, 618
Fohs, F. J., on economic importance of "bed-veins" of barite, Kentucky, 605
on pyrite as inclusions in calcite at the Shyrock Ferry vein, 614
Folinsbee, R. E., on single standard, pyrite, for reflectivity, 1156
Foothill copper belt, 535
Forman, F. G., on contemporaneous centroclinical deformation, 1062
Foxdale granite, 1549
Fragua District, 439
France, manganese oxide veins, 1457
Franciscan formation, manganese in 528
Franklin Hill igneous series, 1530
Freezing stage, 897
Freke, A. M., and Tate, D., on three-liter stationary culture vessels, sulfide yields, 1477
Fresnal equation, 1153
Fringe zone alteration in carbonate rocks, North Tintic district, Utah (Proctor), 1564–1587
Frondel, Clifford, on intermediate colloidal state, in replacement, 1304
Front Range, Colorado, Roberts tunnel, 467
Fugacity of sulfur, 747, 748, 749
Fumaroles, 685, 702, 714
Fumarolic activities, 717
Fyfe, W. S., book by, reviewed, 737
Fyfe, W. S., and McKay, D. S., on the solubility of albite, 553
Fyfe, W. S., and Verhoogen, J., on equilibrium in systems containing water, 631, 632

Gadolinite, 1354, 1356

Gair, J. E., on Morro Velho mine, maps, 777
on trends of pre-Minas rocks, 789
Galena, 449, 452, 607, 1006
Providencia ore bodies, 891
the incorporation of uranium and silver by hydrothermally synthesized (Hutta and Wright), 1003–1024
Galenas, isotopic composition of lead, 975
Galkin, B. I., book by, reviewed, 337
Gallagher, M. J., Burke, K. C., Cunningham, M. A., and Hawkes, J. R., *Beryl in the Rosses granite, north-west Ireland*, 1539–1550
Gallinas Mountains, New Mexico, fluorite-bastnaesite, deposits of, 226
Gallium, 613
Gangadharam, Kameswara Rao, and Aswathanarayana, paper by, discussed, 501
Garlick, W. G., *Association of mineralization and algal reef structures on Northern Rhodesian copperbelt, Katanga, and Australia*, 416–427
on zonation and metal ratios in sulfate-reduction, 1488
Garlick, W. G., and Brummer, J. J., on sedimentary contacts between granite and Katanga sediments, 971
Garner, E. L., Rosholt, J. N., Harshman, E. N., and Shields, W. R., *Isotopic fractionation of uranium related to roll features in sandstone, Shirley Basin, Wyoming*, 570–585
Garnierite, 369, 381, 382, 383, 384
Garrels, R. M., on the efficiency of chloride ion complexes, 673
on stability zones of mineral species in aqueous media, 1475
Gas Hills, Wyoming, 593
Gast, P. W., on ($^{87}Sr/^{86}Sr$). ratios for granites, 972
Gates, O., on milled breccia, Shoshone Range, Nevada, 1559
Gaucher, Edwin, *A possible solution to the paradox of the "sedimentary" bornite*, 303–308
Gayler, M. L., on degree of saturation important factor controlling type of exsolution, 1247
Geijer, P., and Magnusson, N. H., on Swedish banded iron formation to volcanic amanations, 1027
Geisler, A. M., Barrett, C. S., and Mehl, R. F., on Al-Ag system and Al-Au system, 1246
on rate of exsolution, 1244
Gel metasomatism type of replacement, 1304
Genesis, uranium of Chinle formation—syngenetic, penesyngenetic, epigenetic, hydrothermal solutions, 870, 871
Genovese, S., on graph showing change of position of Red Zone over a year's time, 1481
on sulfide in Lake Faro, Sicily, 1478
Geochemical exploration, total stream sediments, 925
Geochemical prospecting, 640
beryllium, 94–95
molybdenum, 142
Geochemical reconnaissance survey, trace element determinations, 458
Geochemical sample map—beryllium ratios, 90
Geochemical studies at the Helen iron range (Goodwin), 684–718
origin of ore body, 717
Geodes, 605
Geologic field work, is it obsolete?, 527
Geologic projection, the validity of, a case history (Wahlstrom), 465–474
Geologiya Rudnykh Mestorozhdenii (Geology of ore deposits) in Russian, reviewed in English by Alexandrov, Eugene A., 180, 339, 732, 1181, 1402
Bilibina, T. V., Donakov, V. I., and Titov, V. K., *Hydrothermal uranium mineralization associated with alkaline intrusions*, 1182–1183
Borodayevskaya, M. B., and Borodayevsky, N. I., *A book review*, 737
Bulkin, G. A., and Bolshakov, A. P., *Dynamometamorphism of ores in the Nikitovka mercury deposits*, 345
Chernov, B. S., *Structure of the Ipchulskoye molybenum deposit of Khakassiya*, 340–341
Dobrovol'skaya, M. G., *Stages of mineralization in the Sordob lead-zinc deposit (Western Karamazar)*, 1185
Fedorchuk, V. P., Kostyleva-Labuntseva, E. E., and Maslora, I. N., *Problem of the genesis of mercury-antimony deposits*, 184
Godlevskii, M. N., *Phase equilibria in some binary systems and their value in the theory of ore genesis*, 339–340
Goleva, R. V., *The problem of prospecting for lead-zinc deposits in the sedimentary rocks of Northern Ossetia (Northern Caucasus)*, 1406
Gotte, W., *New data on geology and mineralization in the Brand region near Frieburg*, 185
Grinenko, L. N., *The isotopic composition of sulfur in the sulfide deposits of Sibay* (Southern Urals), 736
Itsikson, M. J., *Connection of Metallogeny with deep faults in the northwestern part of the Pacific ore-bearing belt*, 181
Kamel, O., *The supergene carbonates and the formation of high-grade residual ores in the deposit of Lebedi, the magnetic anomaly of Kursk*, 1184

Geologiya Rudnykh Mestorozhdenii—Continued

Karagodin, S. S., *New type of columbium deposit in the Urals*, 185

Kashirtseva, M. F., *The characteristic features of pitchblende and sooty pitchblende in some infiltration type deposits*, 1405

Khazagarov, A. M., *Some features in the location of gold mineralization in the Olkhovskaye ore-brearing field* (Eastern Sayany Mountains), 344

Kazanskii, V. I., and Rekharskii, V. I., *Conference on the metasomatic alteration of wall rocks and the role of these alterations in mineralizations*, 345

Kislyakov, Ya. M., and Latyshev, D. G., *Use of the photographic camera in underground survey*, 736

Kobilev, G. A., *Mineral composition of tectonic gouge clay in the Sadon deposit*, 345

Komarov, P. V., *The geochemical specialization of magmatic ore forming solutions containing the mineralizers chlorine, fluorine, and baron*, 1405

Konstantinov, V. M., and Yanishevskii, E. M., *Utilization of primary aureoles of dispersion in evaluating the mineralization of faults*, 186

Kotlyar, V. N., and Lugov, S. F., *The interdepartmental conference on the problem of mineralization associated with volcanic formations*, 1186

Kotlyar, V. N., Solov'yev, N. N., and Tikhonov, N. D., *Geological features of deposits connected with ancient volcanoes*, 1181–1182

Kristal'nyi, B. V., *Structural conditions of endogenetic mineralization and location features of ore in the main ore-bearing zones of the Chorukh-Dairon ore-bearing field*, 1404

Kveiten, V. M., Gorzhevskii, D. I., and Kozerenko, V. N., *Classification of favorable geologic environments in prospecting for economic mineral deposits*, 342, 343, 344

Krotov, B. P., and Aleshin, M. I., *Classification of supergene deposits of iron and aluminum in the Urals*, 735

Kuzmina, L. P., *Crystallization of metallic copper and cuprite under hydrothermal conditions*, 345

Lur'e, L. M., *Some forms of metamorphism or ores in the Zambarak deposit (Eastern Karamazar, Central Asia)*, 1406

Malinko, S. V., *A new type of endogenetic boron mineralization and some problems of the genesis of borates during the hydrothermal processes*, 1403

Geologiya Rudnykh Mestorozhdenii—Continued

Marakushev, A. A., *Effect of the oxidation potential and alkalinity of solutions on the formation of iron sulfides and oxides under hydrothermal conditions*, 1181

Matveyenko, V. T., and Shatalov, E. T., *Main distribution features of tin mineralization in the Northeastern Soviet Union*, 181

Merlich, B. V., *Genesis of metacinnabarite from the Transcarpathian region*, 1185–1186

Nevsky, V. A., *Fracture tectonics of the Kurgan deposit and the effect on the morphology and distribution of ore deposits*, 735

Nikiforov, N. A., and Rozanov, Yu. A., *The effect of physical and mechanical properties of rocks on the location of mercury-antimony mineralization in Southern Ferghana*, 341, 342

Ontoyev, D. O., *Some geological problems of iron deposits containing fluorine and rare earths*, 1404

Perelyaev, A. P., *The internal structures of pyrite grains of various genesis and the method of investigating these structures*, 1405

Popov, V. M., *The genesis of Dzhezkazgan ores in the light of new facts*, 1407

Pyatnov, V. I., *Titanium mineralization and replacement of rutile by sphene in eclogite bodies in the Southern Urals*, 185

Rekharvskii, V. I., *Features of alteration of rocks including quartz-molybdenite veins in the Shakhtamin deposits*, 344

Rybalova, E. K., and Tananayeva, G. A., *Age relationship of diabase porphyry dikes with ore veinlets in a vanadium deposit*, 185

Saukov, A. A., *On the 80th birthday of Alexander E. Fersman*, 1407; *The second All-Union conference on the geochemical methods of prospecting and exploration of ore deposits*, 1407

Semenov, A. I., *Types of metallogenic provinces in folded regions of the Soviet Union*, 732

Shadlun, T. N., *In memory of academician A. G. Betekhtin*, 345

Shipulin, F. K., *Some genetic problems of hydrothermal sulfide mineralications associated with independent minor intrusions*, 180

Shartseva, S. L., *Some results of hydrochemical investigations under conditions of permafrost*, 184

Geologiya Rudnykh Mestorozhdenii—Continued
Slavskaya, A. I., Rudnichenko, V. E., and Bogoslovskaya, E. I., *Dissociation of Betekhtenite during heating*, 344
Starostin, V. I., *The structural features and morphology of ore bodies in the northern part of the copper sulfide deposit of Gay* (Southern Urals), 736
Sushon, A. R., *Experience in preparing prognostic maps of the ancient beach sand type titantium and zirconium placers in timan region*, 183
Tananayeva, G. A., *Some features of the paragenesis of pitchblende with calcite*, 1183–1184
Titov, V. N., *The geological structure of the Shevchukovskoye deposit in the ore-bearing field of Kansay*, 1407
Trofimov, V. S., *Conditions of formation and distribution features of diamonds in kimberlites*, 182
Tsvetkov, A. I., and Shchepochkina, N. I., *High temperature oxidation of titano spinel*, 345
Tyurin, N. G., *The problem of the composition of hydrothermal solutions*, 734
Vakhrushev, V. A., *Principles of genetic classification of contact-metasomatic iron deposits in the Altai-Sayany region*, 1402
Vistelius, A. B., and Yanovskaya, T. B., *Programming of geological and geochemical problems by means of universal electronic computers*, 340
Voroshilov, N. A., and Sochevanov, N. N., *Vertical zoning in the distribution of elements in pipe-like ore bodies of the Aktyuz ore-bearing field*, 341
Yakovlev, I. A., Uvad'ev, L. I., and Grinenko, B. M., *Some new data on the structure of the Pechenga (Petsamo) synclinorium*, 1406
Zagoskin, V. A., *Primary zoning in the gold-bearing veins of the Middle Vitim Highlands*, 1185
Geology of a disseminated copper deposit near Cerrillos, New Mexico (Wargo), 1525–1538
Geology and mineralogy of the Buena Vista iron ores, Churchill County, Nevada (Radtke), 279–290
Geology and mineralogy of certain manganese oxide deposits (Larson), 54–78
Geology of Ore Deposits, *see* Geologiya Rudnykh Mestorozhdenii
Geology of the Raposos gold mine, Minas Gerais, Brazil (Tolbert), 775–798
The geology of the Zawar lead-zinc mine, Rajasthan, India (Mookherjee), 656–677
Geothermometric data, 1268
Geothermometric data, Zawar mine, 670
Geothermometric measurements of sulfide minerals, Mosabhoni copper mine, Singhbum district, Bihar, (Rao), 136–141
Geothermometric, rehomogenization experiments, 1268
Germanium, 613
Geyne, A. R., et al., book by, reviewed, 177–179
Ghosh, A. M. N., and Prasad Rao, G. H. S. V., on chromite deposits in Orissa, India, map and estimate of ore reserves, 801
Gianella, V. P., on veins of barite, Nevada, 1460
Gibbs phase rule, 558
Gillson, J. L., on deposits of rutile in silicified rhyolite, volcanic ash, and serpentine, 763
on ilmenite deposits at St. Urbain, Quebec, 766
on titaniferous magnetite "sand" in volcanic ash on Taranaki Coast of the North Island of New Zealand, 763
Gilmour, Paul, *A method of calculating reserves in tabular orebodies* (communication), 1386–1389
Girvanella, algal balls, 407, 411
Globe Valley igneous complex, West Pakistan, 1343
Goddard, E. N., on manganese ores, Philipsburg Quadrangle, Montana, 55
on migration of manganese, 74
on origin of hypogene mineralization in Philipsburg granodiorite batholith, 61
on replacement by oxide minerals, 75
on sedimentary rocks, Philipsburg, Montana, 57
Goebbel Dean mine, 614, 615
Goethite, 1218
Gogebic, 1315
Gold-silver alloys (electrum), 748
Gold, solubility of, under inorganic supergene conditions, (Cloke and Kelly), 259–270
solubility field, 261
Goldich, Samuel S., and Lepp, Henry, *Origin of Precambrian iron formations*, 1025–1060
Goldich, S. S., Nier, A. O., Baadsgaard, H., Hoffman, J. H., and Kreuger, H. W., on classification of rocks, Lake Superior region, 1043
Gondwana surface, 1209, 1229
Gonshakova, V. I., on trap volcanism in Yakutia, 1369
Goodell, H. G., on kaolinite of the Citronelle Formation, 1126
Goodwin, A. M., *Geochemical studies at the Helen iron range*, 684–718
on banded chert-carbonate facies of the Gunflint, 1318
on granule-bearing phases of the Gunflint formation, 1316

Goodwin—*Continued*
on greenalite from the Gunflint formation, 1320
on Gunflint Iron Formation in Ontario, 1027
on Keepalloo iron-formation, 1316
on report of the Michipicoten district, 1318
Gorceix, H., on plant fossils, Miocene and Pliocene, 1208
Gorceixite, 1373
Gossan, supergene transport of gold in, 262, 266
Govorov, M. M., on Russian beryllium deposits, 922
Graham, A. R., on thorium and other rare-earth elements substituting for the cerium, 1356
Granger, H. C., et al., on Ambrosia Lake deposit, New Mexico, 124
Granodiorite, alteration of, 560, 562
Granophyres, 804
Granual-bearing, iron formation, 1325
Granules of chert greenalite, siderite, 1322
Graphite, 446, 447
granite zone, 1350
intergrowths, 1267
Grass Valley region, 528
Graton, L. C., on fluid emanations, magmatic derivatives, 766
on leptothermal zone, 1468
on mineral content of metalliferous deposits changing with depth from surface, 1457
Graton, L. C., and Bjorge, G. N., on geology and mineralogy of Morro Velho mine, 777
Graton, L. C., and McLaughlin, D. M., on ilmenite deposits at Engels, California, 766
Gratz vein, 600, 609, 612, 613, 614
Graves, R. W., Jr., on volume of the Caballos Novaculite, 1032
Gray, I. M., and Millman, A. P., on Cadmium sulfide cell and "open-band" filters, 1156
Reflection characteristics of ore minerals (discussion), 1394–1495
Grçev, K., on ore bodies in the Ljuboten massif, 1505
Green Lake, New York, 1481
Greenockite, 454
Greisens, beryl deposits in, 1542
Grim, R. E., on dehydration of kaolinite, 1151
Griffitts, W. R., on Sheeprock granite (personal communication), 1549
Gritsgenco, G. S., et al., on the crystallization of NiS, Ni_3S_4 from acid solutions, 479
Grogan, R. M., and Temple, A. K., *Manto deposits of fluorspar northern Coahuila, Mexico* (discussion), 936–937
Grootboom and Annex Grootboom, pegmatite bodies on, 200
Groveland iron mine, 1094
Groveland orebody, 1103
Grundy, W. D., and Oertell, E. W., on correlation of Shinarump scours, 864
Gruner, J. W., on carbonaceous material in the granule-bearing units, 1339
on ferric oxide colloid, 1028
on greenalite, 1320
on iron formation on the east Mesabi Range, 1103
on irregularly banded taconite, 1328
on magnetite in the more highly metamorphosed eastern Mesabi and western Gunflint, 1332
on metamorphism on the east Mesabi range, 1333
on mixtures of silicates, oxides, and carbonates in iron formations, 1052
on multiple-migration-accretion hypothesis, 49
on "oxidation-solution-migration-accretion, a kind of recycling action," 49
on Precambrian iron formations are chemical precipitates, 1028
on presence of abundant land vegetation in early Precambrian, 1050
on primary magnetite of Precambrian iron formation, 1314
on primary origin for the magnetite, 1334
on silica content of unaltered ferruginous cherts, 1316
on size of individual crystals or grains of magnetite, 1325
Grutt, E. W., on the geographical relations between the intermontare basins of Wyoming, 571
Guayacán copper mine, Cabildo district, Aconcagua province, paleo-channels at, 1283–1292
Guild, P. W., on Brazilian iron formations, 1101
on Cayoguán deposit, eastern Cuba, 1514
on development of canga, 1236
on dikes of pegmatitic gabbro, 1515
on formation of canga in Quadrilátero Ferrífero, 1233
on hematite porphyroblasts, 1101
on post-Itacolomi age of granites, 989
on softened itabirite more than 200 m below the surface, 1215
Guimaraes, Djalma, on geology of the São João del Rei pegmatite district, 983
on mineralization of spodumene-bearing dikes, 999
on problem of the ages of Brazilian pegmatites, 1000
Gulbrandsen, R. A., on origin of Permian rocks, 1161
Guleman-Soridağ district, Turkey, 1518

Gundersen, J. N., and Schwartz, G. M., on magentite in the lower slaty member, eastern Mesabi, 1328
Guinier, A., on degree of temperature on diffusion rates, 1259
Gunkel, W., and Oppenheimer, C. H., on sulfide production of sediments in situ, 1479
Gustafson, J. K., on principal anti-clinical lode, Broken Hill, 1090
Gustavson, J. K., Burrell, H. C., and Garretty, M. N., on Broken Hill deposits, New South Wales, 3
Gutierrez, Luis G., *Manto deposits of fluorspar, northern Coahuila, Mexico* (discussion), 935–936

Hagni, R. D., and Grawe, O. R., *Mineral paragenesis in the Tri-State District Missouri, Kansas, Oklahoma*, 449–457
Hahn, O., on "anomalous mixed crystals" and "internal adsorption," 1006
on solid solution and adsorption, 1019
Halide minerals, 772
Hall, W. E., and Friedman, Irving, on ore-bearing solutions, Kentucky–Illinois district, 621
Hall, W. E., and MacKevett, E. M., on clausthalite and matildite exsolved from galena, 152
Halogens, 772
Hamilton, E. I., Snelling, N. J., Drysdall, A. R., and Stillman, C. J., *A review of age determinations from Northern Rhodesia*, 961–981
Happy Jack Mines, vanadium deposits, 867
Harder, E. C., on role of bacteria in development of Precambrian iron formations, 1054
on iron-precipitating bacteria, 1054
Harder, E. C., and Chamberlin, R. T., on chemical canga, 1221
on explanation for the genesis of canga, 1232
Harold D. Roberts tunnel, Front Range, Colorado, 466
Harshman, E. N., on alteration features of uranium ore sand, 52
on establishment of criteria of ore control in Shirley Basin, Wyoming, 46
on paleotopographic control, 52
Harshman, E. N., Shields, W. R., Garner, E. L., and Rosholt, J. N., *Isotopic fractionation of uranium related to roll features in sandstone, Shirley Basin, Wyoming*, 570–585
Hatton mine, Arizona, 1449
Haughton, S., on chemical analysis for beryl from Sheskinarone, 1547
Hausmannite, 439, 1441
Hawkes, J. R., Burke, K. C., Cunningham, M. A., and Gallagher, M. J., *Beryl in the Rosses granite, north-west Ireland*, 1539–1550
Hawley, J. E., on pyrrhotite heated in H_2S atmosphere, 1589
on pyrrhotite + bornite field, 751
Hawthorne, 1111
Heavy mineral suites, 1123
Heazlewoodite, 446
Helgeson, Harold C., book by, reviewed, 1611
Heier, K. S., and Adams, J. A. S., on absence of Cs, Rb, and Li in type of geological environment as Honey Comb Hills, 773
on adsorption of rare alkalis with high polarization, 773
Heinrich, E. W., on Baringer Hill pegmatite, 1349
on exogenic effects of discoloration and radial fracturing, 1352
Tin-tantalum-lithium pegmatites of the São João Del Rei District, Minas Gerais, Brazil, 982–1002
Heinrich, E. Wm., and Perhac, Ralph M., *Fluorite-bastnaesite deposits of the Gallinas Mountains, New Mexico and Bastnaesite paragenesis*, 226–239
Heissleitner, G., on zonal podiform chromite deposits, Ljuboten peridotite massif, 1502, 1505
Heissleitner, G., and Clar, E., on zonal podiform chromite deposits, Chalkidiki deposits, 1502
Helen Iron Formation, 691
Helen iron range, geochemical studies at (Goodwin), 684–718
Helke, A., on norite, Gölalan ore body, 1520
on Soridağ area, Turkey, 1518, 1519, 1520
on Soridağ ore bodies, chromite, 1502
Helz, G. R., on pressure at 25° in series of Providencia inclusions, 900
Hem, J. D., on carbon dioxide increasing the solubility of iron, 1227
on organic acids effective in transporting iron as complexed ions (personal communication), 1227
Hem, J. D., and Cropper, W. H., on deposition of insoluble ferric hydroxide from ephemeral springs, 1234
on solubility of ferrous iron decreasing as pH is increased, 846
Hemley, J. J., on the role of complex ions in the transport of lead, 673
Hemley, J. J., and Jones, W. R., *Chemical aspects of hydrothermal alteration with emphasis on hydrogen metasomatism*, 538–569
Henderson, Q. J., on North Broken Hill mine, 1086
on rhodonite, 1086
on south pitching drag folds, 1086
Henwood, W. J., on stalactites and tuberculated crusts of limonite, 1234

Herbert, Paul, Jr., and Young, R. S., on the sphalerite and galena deposits of Timberville, Va., district, 619
Hercynian metallogenetic belt, Argentina, 131
Herz, N., on fuchsite schists in Raposos area, 795
Herz, N., and others, on recent age determinations on intrusive rocks, Raposos-Morro Velho area, 778
Hess, F. L., on Baringer Hill pegmatite, 1349
on tengerite occurring as a carbonate of yttrium and beryllium, 1356
Hess, H. H., on primary peridotite magma, 1517
Hewett, D. F., *Veins of hypogene manganese oxide minerals in the southwestern United States*, 1429–1472
Hewett, D. F., and Fleischer, M., on identity of manganese oxide minerals, X-ray diffraction methods, 1440
on Philipsburg cryptomelane, 71
Heyl, A. V., Jr., et al., on morphology of calcites, 896
Heyl, A. V., and Jolly, J. L., *Mineral paragenesis and zoning in the central Kentucky mineral district*, 596–624
HgS, 626, 627
Hicks Dome, Illinois, 620, 1294
Hidden, W. E., on radiating fractures, 1352
Hidden, W. E., and Mackintosh, on descriptions of the Barringer Hill minerals, 1349
on thorogummite, 1358
Hiessleitner, G., on distribution of chromite pods, ophiolite concept, 1517
High Bridge group, 600, 617
Hiller, J. E., and Probsthain, K., on transition of chalcopyrite solid solution to lamellae of chalcopyrite with minor additional chalcopyrite and bornite between, 750
Hillhouse, D. N., on titanium area in Nelson and Amherst Counties, Virginia, 765
Hills, E. S., book by, reviewed, 515
Hinners, N. W., and Holland, H. D., on solubility of ZnS, 25
Hisingerite, 1532
Ho, C. S., and Lee, Chin-Nan, book by, reviewed, 1612
Hoering, T. C., on photosynthesis and biological activity indicated in oldest rocks of the Precambrian, 1053
Hofmann, Albert, and Brinck, J. W., *The distribution of beryllium in the Oslo region—Norway—a geochemical stream sediment study*, 79–96
Holland, H. D., on evolution of the present-day atmosphere, 1047
on relations of stabilities to fugacities of ore-fluid constituents, 28
Holmes, A., on constants for Holmes-Houtermans model, 977
on deep source for lead deposits, 4
Holmes A., and Cahen, L., on ages of syenite, 978
on stratigraphic significance of Lundazi pegnatite age determination, 978
Holser, W. T., on colloidal replacement, 1304
on metamorphism and associated magnetite mineralization, Philipsburg ores, 55
on metamorphism in Philipsburg district, 58
Holser, W. T., and Schneer, C. V., on formation of hydrothermal magnetite, 1303
Honey Comb Hills, Utah, 768–774
Hook granite, 974
Hornfels, 470
Hose, R. K., on veins of black calcite in carbonate rocks, 1450
Hostetler, P. B., and Garrels, R. M., on precipitating uraninite from solutions containing a minimum of .5 ppm uranium, 582
Hotz, P. E., *Nickeliferous laterites in southwestern Oregon and northwestern California*, 355–396
Hough, J. L., on hypothesis to explain the banding of iron formations, 1028
Howell, I. V., and Molloy, J. S., on milled breccia, El Teniente copper porphyry, 1559
Huber, N. K., on jasper in the Ironwood formation, 1321
on lack of equilibrium among iron-bearing minerals, 1052
on origin of chert, 1029
on pH-Eh stability diagrams for hematite, siderite, pyrite, and iron sulfide, 1050
on primary origin of chert, 1051
Huber, N. K., and Garrels, R. M., on primary origin of magnetite, 1334
Hunt, C. B., on Abajo intrusives, 853
Hurley, P. M., on the Sr^{87}/Sr^{86} ratios of the Sierra Nevada magmas, 531
Hurley, P. M., Hughes, H., Faure, G., Faribairn, H. S., and Pinson, W. H., on $(^{87}Sr/^{86}Sr)_o$ ratios for granites, 972
Hutchinson, R. W., on re-emplacement of sulfide deposits during regional metamorphism, 1516
on sulfide ore minerals provided mobility by plastic flow, 1517
Hutta, Joseph J., and Wright, Harold D., *The incorporation of uranium and silver by hydrothermally synthesized galena*, 1003–1024
Hydration, defined, 540
Hydration-dehydration reactions, 553
Hydrobiotite, 542

Hydrogen metasomatism, 544, 545, 546, 564, 565, 567
Hydrohetaerolite, 68
Hydrologic cycle, 584
Hydrolysis, 551
  defined, 540
  equilibria, 541
Hydrolytic alteration, of alaskite, 559
Hydromica/sericite, 662
Hydrothermal origin, chromite deposits, 822
Hydrothermal, alteration, 761
  alteration, chemical aspects of, with emphasis on hydrogen metasomatism (Hemley and Jones), 583–569
  fluids, 773
  minerals, chromite deposits, India, 819
  origin of rare elements, 773
  solution equipment, Dickson, 625, 626
  solutions, alteration of wallrock, 793
  syntheses of, bravoite, 482
Hynie, O., on gaseous mineral waters in proximity of volcanic hills, 877
  on mineral waters of Bohemian Massif, 874
Hypogene, 543
  origin, manganese oxide deposits, 1431
  pattern of alteration, 556
Hypogene-hydrothermal theory, 672

Ice-cake texture, 665
Idaho, phosphorites, 1161
Illite, 542
Ilmenite, 762
  to leucoxene ratio, 1127
Imlay, R. W., on stratigraphy of Providencia mine, 884
The incorporation of uranium and silver by hydrothermally synthesized galena (Hutta and Wright), 1003–1024
India, Bihar, distribution of radioactivity in the Mosaboni Copper Mine (discussion), 501–502
  iron formations, 1045
  Jaharia coalfield, petrological characteristics of Barakar coal, metamorphosed by lamprophyre sill (communication), 926–929
  Kristna District, Andhra Pradesh, chromite from Kondapalle (Krishna Rao), 678–683
  Orissa, chromite deposits of the Keonjhar District (Varma), 799–825
  Rajasthan, the geology of the Zawar lead-zinc mine (Mookherjee), 656–677
  petrological characteristics of Barakar coal metamorphosed by lamprophyre sill, in Jharia coalfield of (communication), 926–929
  Rajasthan, thermal metamorphism of the sulfide minerals at Zawar Mines (communication), 498–500
Inert component, 558
Ingerson, E., and Morey, G., on fluid emanasions, 766
Intergrowths, eutectoid, graphic, 1267
Interruptions and present trends of mineral production (Sampson), 1270–1282
Ireland, North-west, beryl in the Rosses granite (Burke, Cunningham, Gallagher, and Hawkes), 1539–1550
Iron deposit, Helen iron range, origin of, 712
Iron deposits, off-shore lagoon, 1105
Iron ores, supergene, of Minas Gerais, Brazil (Dorr), 1203–1240
Iron formations, 781, 1103, 1315
  origin of layers of siderite and chert, 1323
  Raposos mine, 785
  regional metamorphism, 1335
Iron formations, Precambrian, origin of (Lepp and Goldich), 1025–1060
Iron minerals, associated with manganese oxide deposits, 1447
Iron ore, minette type, 1028
Iron ores, Brazil, 1203–1240
Ironwood formation, 1330, 1332
Irvine-Paint Creek fault zone, 599, 604, 615
Irving, R. D., on magentite of iron formations, 1314
Is geologic field work obsolete? (Park), 527–537
Isochron method, 974, 975
Isograds, 533
Isopach contour, on Zawar orebody, 664
Isothermal surfaces, 670
Isotope fractionation, biochemical processes, 1484
Isotopic fractionation of uranium related to roll features in sandstone, Shirley Basin, Wyoming (Rosholt, Harshman, Shields, and Garner), 570–585
Isotropy, 1081
Isphording, W. C., on heavy minerals at the Devil's Mill Hopper, 1127
Itabirite, 1209, 1211, 1231
  chemical composition of, 1212
  district, 1231
Italy, manganese oxide deposits, 1457
Ivanov, M. V., on sulfate-reduction in waters from Carpathian sulfur deposits, 1479
Ivanova, T. N., book by, reviewed, 1188

Jackson, G. C. A., on Nchanga red granite, 971
Jackson, E. D., on composition of chromite, 1501
  on stratiform deposits of chromite, 1518
Jacobsite, 1441
Jaeger, J. C., on cooling of magmas, 914

James, Clifford H., *The application of white spirit as a solvent for dithizone in geochemical analysis for copper in tropical climates* (communication), 1596–1598
James, H. L., on chemical analyses of iron formations, 1035
on chlorite and biotite zones, 1337
on definition of iron formation, 1027
on grain size of iron formation is function of degree of metamorphism, 1230
on iron-formation of the Iron River district, 1318
on magnetic ironstone in the Iron River district, 1332
on magentite of intermediate and higher zones, 1332
on origin of chert, 1029
on primary origin of chert, 1050
on primary origin of magnetite, 1334
on principal facies of iron formations, 1034
on suggestion that hematite and magnetite may be original sedimentary, 1103
James, H. L., and Clayton, R. N., on temperatures determined by oxygen isotopes, 1335
James, H. L., and Howland, A. L., on oxidation state of a rock as established during sedimentation, 1103
Jansen, G. J., *Proposed working reflectivity standards for opaque ore minerals*, 1153–1158
Jarvis, W. A., on ideal stratigraphic section of siderite pyrite banded ore, 707
Jasperoid, 451
alteration, North Tintic area, 1575
Jaspilite, 1026
Jay, J. R., and Tooms, J. S., *The role of the biochemical cycle in the development of copper/cobalt anomalies in the freely drained soils of the Northern Rhodesian Copperbelt*, 826–834
Jeffery, W. G., on geological setting of contact metasomatic iron deposit, Vancouver Island, 1298
Jeffery, W. G., and Stevenson, John S., *Colloform magnetite in a contact metasomatic iron deposit, Vancouver Island, British Columbia*, 1298–1305
Jenny, W. P., on lineal magnetic anomalies, Embayment area, 1293
Jensen, M. L., on food or energy source of *Desulfovibrio*, 120
on H_2S present during pyrite formation in sandstone-type uranium deposits, 582
on mechanism of ore deposition, 47, 49
on sulfate-reducing bacteria feeding on organic debris, 871
Jensen, M. L., and Field, C. W., on conditions affecting ore deposition, 47
Jeptha knob, 620
Jharia coalfield, 926–929
Jicha, H. L., Jr., on paragenetic relations of manganese oxides and nonmetallic minerals, 1451
Johnson, D. S., on Hasmark dolomite member, Mountain View area (personal communication), 74
Johnson, H. S., Jr., and Thordarson, W., on correlation of Shinarump scorus, 864
Johnston, W. D., Jr., and Butler, R. D., on problem of the ages of Brazilian pegmatites, 1000
Johnston, W. D., and Cloos, Ernst, on the granodiorite in Grass Valley, 533
Johnston, W. P., and Lowell, J. D., on kneaded breccia, Copper Basin, Arizona, 1559
Joins, bornite-chalcocite, 1248, 1252
bornite-digenite, 1248, 1252
Joints, downward projection of, 472
Jolly, J. L., and Heyl, A. V., *Mineral paragenesis and zoning in the central Kentucky mineral district*, 596–624
Joplin museum, 452
Jordaan, J., on the Kitwe barren gap, Nkana mine, 418, 419
Jurrinen, A., on staurolite, southeastern Appalachian deposits, 1590

Kadota, H., and Miyoshi, H., on nucleotides and amino acids improving sulfate-reducers, 1477
Kalgoorlie, 1062
Kandak deposit, southwest Turkey, 1509
Kaolinite, 543, 544
Kaolinized pegmatite, 987
Kaplan, I. R., Emery, K. O., and Rittenberg, S. C., on authigenic pyrite, 1054
K-Ar, 974, 975
ages, 970
Karabogaz Formation, 1167
Karlovy Vary termal system, 876
Katanga, copper-cobalt deposits in, 421
northern Rhodesian copperbelt, association of mineralization and algal reef structures and Australia (Garlick), 416–427
sediments, 964
Katherine-Darwin Region, Australia, 421
Kautzsch, E., on copper deposits, Richelsdorf, W. Germany, 6
on "rücken" at Mansfeld, 9
Kazakov, A. V., on marine phosphorites deposited in areas of updwelling deep ocean water, 1160
Kelley, V. C., on paleohydrology of Colorado Plateau, 48
Kelley, V. C., and Silver, C., on small late veins of calcite containing manganese, 1450
Kelly, William C., and Cloke, Paul L., *Solubility of gold under inorganic supergene conditions*, 250–270
Kelyphite, 1377

Kendall, D. L., on zinc deposits, Jefferson City, Tennessee, 4
Kennedy, G. C., on fluid inclusions in minerals lying along lineage boundaries, 896
on solubility of quartz, 916
Kents, Paul, *Special breccias associated with hydrothermal developments in the Andes*, 1551–1563
Kentucky, 1293
Kentucky–Illinois fluorspar district, 618
Kentucky, mineral paragenesis and zoning in the mineral district (Jolly and Heyl), 596–624
Kentucky River fault zone, 604, 607
Keonjhar, 800
Kerr, P. F., on the alteration of alaskite at Silver Bell, Arizona, 559
on size of the crystallites in pitchblende, 1021
Ketner, K. B., and McGreevy, L. J., on Citronelle formation, 1117
on unconformity beneath Citronelle sediments, 1123
K-feldspar, alteration of, 558, 559, 563
associated with manganese deposits, 1449
secondary, 563
Kimberlite, pipes, 1368
prospecting, 1385
King, H. F., on strong stratigraphic influence, Broken Hill assemblage, 3
King, Hadden F., and O'Driscoll, E. S., on three-dimensional view of Broken Hill lode, 1085
on southern portions of Broken Hill lode, 1090
King, L. C., on age assignments for erosion surfaces, 1227
on epeirogenic uplift, in Early Cretaceous time, Brazil, 1229
on erosion surfaces, eastern Brazil, 1208
Kitahara, S., on solubility of quartz in NaCl solutions, 916
Klamath Mountains, physiographic province, 357, 358, 359
Klemm, D. D., on the FeS_2-CoS_2-NiS_2 system using LiCl-KCl flux, 479
Klemme, H. D., on isopach-lithofacies map showing upper Mesozoic to lower Tertiary (or Cretaceous, Paleocene, and Eocene) rocks that were deposited in the Tethys sea, 1162
Klevtsov, P. V., and Lemmlein, G. G., on pressure correction depending on salinity of hydrothermal fluid, 899
Klohn, C., on stratigraphy and structure, high Cordillera, central Chile, 129
K-mica, hydrolysis of, 551
Knight, C. L., on source beds, 3
Knopf, Adolph, on the definition of a batholith, 529
on the geothermal gradient of three deep mines on the Mother Lode, 533
Knopf—*Continued*
on the pre-Mariposa age of some intrusive rocks of Sierra Nevada batholith, 531
on tin deposits of Seward Peninsula, 920
Knox dalomite, 600
Koczy, F. F., and co-workers, on the removal of thorium from solution as compared with uranium, 583
Kodym, O., et al., on geology and tectonics of Bohemian Massif, 875
Köhler, A., on antiperthite formed by replacement, 757
Kondapalle, 678
Koolpin Creek, 422
Kopecký, L., on geology and tectonics of Bohemian Massif, 875
Kopecký, L., and Sattran, V., on kimberlite breccia pipe of Linhorka, 1379
Korzhinskii, D. S., on equilibrium relations, 557
on material balance relations in metasomatism, 558
K_2O-Al_2O_3-SiO_2-H_2O system, 548, 549
Kotlyar, V. N., book edited by, reviewed, 168–176
Kovalskii, V. V., on the age of Yakutian kimberlites, 1371
Kovenko, V., on dunite dikes that cut chromite, Soridağ, 1519
on magmatic flowage, 1518
Krakatau, 1561
Kranck, S. H., on iron carbonate and chert in northern Quebec, 1103
Kraume, E., on lead-zinc-copper-barite lenses, Rammelsberg mine, Harz Mountains, 2
Krauskopf, K. B., book reviewed by, 943
on intrusive rocks in Madera, Fresno, and Tulare counties, 531
on nature of magmatic gas at 600°C., oxygen and sulfur pressures, 1593
The possible role of volatile metal in ore genesis, 22–45
on precipitation of silica, 1029
on volatilized heavy metals, 672
Kravitz, Joseph H., and Sanders, John E., *Mounting and polishing mineral grains on a microscopic slide for study with reflected and polarized light*, 291–298
Krishman, M. S., on geology of the Kondapalle area, 678
Krumbein, W. C., and Garrels, R. M., on roll-ore formation in marine environment, 49
on stability fields of some of the sedimentary iron minerals, 1050
Krumbein, W. C., and Sloss, L. L., book by, reviewed, 515
Kullerud, G., on the break down of bravoite into pyrite and vaesite, 479, 480, 490
on stable three-phase assemblages, 1591

Kullerud, G., and Yoder, H. S., on detailed study of Fe-S system, 1591
on experiments in addition of sulfur to a silicate system, 1592
Kupferschiefer orefield, marl slate, 5
genesis, 9–12
Kurt Dag anticline, 1169, 1170

LaBerge, Gene L., *Development of magnetite in iron-formations of the Lake Superior region*, 1313–1342
La Caja anticline, 888
Lake Bonneville, 770
Lake Faro, Sicily, H_2S concentrations, 1478
Lake Superior region, 1026
development of magnetite in iron formations, 1313–1342
"Lake Superior type," 1027
Lake Wales Ridge, 1108, 1111, 1131
La Ligua, 638
Lamellae, 1242
Laminar models, 1063
Lamprophyre dikes, 756
Landes, K. K., on red albite, Baringer Hill, 1351
Lanthanum, 613, 621
Laramie Mountains, 571
range, 840
Larionov, V. V., book by, reviewed, 949
Larsen, E. S., Jr., on cooling of magmas, 914
on magnetite-ilmenite-pyrovskite deposit of Iron Mountain, Gunnison County, Colorado, 763
Larsen, E. S., Jr., and Phair, G., on "average" granite, 4 parts per million of uranium, 849
Larson, Lawrence T., *Geology and mineralogy of certain manganese oxide deposits*, 54–78
Larsen, R. N., and Schoen, R., on correlation of Shinarump scours, 864
La Serena, Chile, 638, 641, 642
Lassen Peak, 532
Lateritic nickel deposits, 97–109
Lateritic soils, chemical composition, 371
mineralogy, 368
origin, 390, 391
soil profile, 366, 367
southwestern Oregon and northwestern California, 364
terminology discussed, 365
Lateritic weathering model, 1049
Laterite, 804
Lawson, W. D., and Nielson, S., on incorporation of atoms in crystals, 1005
on increased mobility of molecules, 1022
Lazarenko, E. K., and others, book by, reviewed, 948
Leaching process, SiO_2, 716
Lead, 884
production in United States, 1275
Lead-zinc ore deposition in the light of fluid inclusion studies, Providencia Mine, Zacatecas, Mexico (Sawkins), 883–919
Lehi Tintic area, 1579
Leith, C. K., on greenalite, 1320
Lenk-Chevitch, P., on beach pebbles, 1118
on classification of beach pebbles, 1121
Leont'Yev, O. K., book by, reviewed, 949
Leopold, L. B., Wolman, M. G., and Miller, J. P., book by, reviewed, 950
Lepidolite, 994
Lepp, Henry, and Goldich, Samuel S., *Origin of Precambrian iron formations*, 1025–1060
LeRoux, N. W., and Temple, K. L., *Syngenesis of sulfide ores: sulfate-reducing bacteria and copper toxicity*, 271–278
Leucoxene, 762, 1127, 1128
Levinson, A. A., and McAnulty, W. N., *Rare alkali and beryllium mineralization in volcanic tuffs, Honey Comb Hills, Juab County, Utah*, 768–774
Lewis, R. Q., Sr., and Trimble, D. E., on correlation of Shinarump scours, 864
Lexington dome, 597, 600, 601, 604
Kentucky, 597
Lima-de-Faria, J., on Greenland allanite, 1355
Lindgren, Waldemar, on equations depicting mineral replacement at constant volume, 557
on geothermal gradient at Grass Valley, 533
on interpretation of depth zones, 1468
on lava flows in the Paleozoic rocks of the Sierra Nevada batholith, 531
on metacolloid, 1304
on mineral content of metalliferous deposits changing progressively with depth from surface, 1457
on the origin of mercury deposits, 633
on a travertine apron, Bolivia, 1455
Linear structures, Zawar lead-zinc mine, 659
Liquid immiscibility, 1346
Lithium, 768, 771
pegmatites, 982
Lithogenetic mineralization, 118
Little Florida district, New Mexico, 1451
Ljunggren, Pontus, and Meyer, H. C., *The copper mineralization in the Corocoro Basin, Bolivia*, 110–125
Logan, B. W., on bioherms and sedimentary breccias, 425
Lognormal, test for, 636
distribution, 643
Lorain, S. H., on diamond drilling programs, Philipsburg, Montana, 55
Loughlin, G. F., on gold-silver and bismuth, Chiulos Canyon, 1582
on "kaolin" occurrence north of Holdaway Canyon, 1570

Loungnon, P. J., on arseniosiderite being hypogene, 1451
Love, L. G., on organic sac surrounding each microsphere, 8
on pyritic molds of fossil microorganisms, 426
Love, L. G., and Zimmerman, D. O., on fossil microorganisms, 1486
Lovering, T. G., on temperature being the controlling factor in the solubility and precipitation of silica and carbonates, 712
Lovering, T., on argillized intrusive breccia (personal communication), 1573
on constant volume replacement, 557
on cooling of magmas, 914
on definition of epigenetic mineralization, 118
on mineralization, lithogenetic, 118
Lovering, T. S., et al., on wall rock alteration studies, East Tintic mining district, 1565
Lovering, T. S., and Shepard, A. O., on montmorillontic-argillic alteration in the silicate rock, East Tintic district, 563
Low cation/H^+ ratio, 564, 565
Lufilian orogeny, 973, 974
age of, 979
Luis Lopez district, New Mexico, 1451, 1453
Lundquist, D., on partial solubility of Fe-Ni-S system, 479
Lusaka granite, 974
Lynd, L. E., on summary of most important deposits of ilmenite, 764
Lyon, R. J., on formation of chalcopyrite from bornite and pyrite, heating in open system, 1243
on formation of lamallae only on rapid cooling, 1247
on heating experiments on ore, 1243
on lamellae formed only when an ore deposit has undergone rapid cooling, 1266

Macgregor, A. M., on banded "ironstones," 1044
on origin of the Precambrian iron formation, 1047
on structures of the Bulawayan Limestone, 1053
Maghemite, 1220
Magmatic differentiation, chromite deposits, India, 804
Magmatic segregation, awaruite, 443
Magnetite in iron-formations, Lake Superior region, 1313
Magnetic anomaly, beryllium mineralization, 90, 92
Maimecha-Kotui intrusions, 1373
Malan, S. P., *Stromatolites and other algal structures at Mufulira, Northern Rhodesia*, 397–415
Manganese, 528, 533
content of iron formation, 1040
deep nodules from the ocean floor, 10
deposits, Southwest U. S., structural features, 1436
Oxide deposits, geology and mineralogy of certain (Larson), 54–78
Oxide minerals, hypogene, veins of, in the Southwestern United States (Hewett), 1429–1472
Manganese Valley vein, New Mexico, 1439
Manganite, 68, 437, 438, 1324
Mann, V. I., on siderite from Marquette and Gogebic ranges, on water and carbon dioxide capable of, 1318
oxidizing ferrous iron to hematite, 1337
Mantled gneiss dome, 973
Manto type, copper, 1285
deposit, 641
Manto Verde, beginning subsidence breccia, 1557
Map
aeroradioactivity, Coastal Plain area, Southeast Texas, 311
aeroradioactivity, Karnes area, 312
Baringer Hill pegmatite, location of, 1349
barite ocurrences, Cave-in-Rock Fluorspar District, 301
barite occurrences, Illinois–Kentucky fluorspar district, 300
beryl deposits in Sheskinarone Townland, Ireland, 1543
Buena Vista iron deposit, 281
cerrillos copper deposit, hypogene mineral zoning in, 1535
cerrillos copper deposit, New Mexico, 1528
chain-compass, hill on Tweefontein-De Grootboom farm boundary, 206
Chile, lower cretaceous in Coquimbo province, 430
Contwoyto Lake area, Northwest Territories, Canada, 720
deposits of selected mineral commodities, California and parts of Nevada, 534
deposits of titanium minerals, Pluma Hidalgo area, 755
distribution of uranium deposits, White Canyon-Monument Valley district, 859
geography of the Kuperschiefer-Marl slate, 5
geologic, Farms Grootboom and annex Grootboom, 202
geologic, main adit level, Raposos mine, 782
geologic, Philipsburg district, Granite County, Montana, 56
geologic, phosphate deposits, southeastern Turkey, 1167
geologic, Providencia area, Mexico, 886
geologic, Quadrilátera Ferrífero, Brazil, 1207
geologic, Red Cloud Fluorite mine, 229
geologic sketch, occurrence of chromite, Orissa, India, 803

Map—*Continued*
geologic sketch, Onverwacht platinum mine, 218
geologic sketch, Raposos-Morro Velho region, 778
geologic, Steelpoort-Dwars River area (pegmatite bodies), 201
geologic, White Canyon-Monument Valley district, 852
geologic and index, Shirley Basin area, Wyoming, 837
geologic and topographic map of Chacarilla region (Lithogenetic orebodies located), 122
geologic and topographic map of northern part of Corocoro Basin, 111
geological, Honey Comb Hills area, Juab County, Utah, 769
geology, Boso deposit, 316
geology, Helen iron range, 688
Guayacán Mine, Chile, geologic surface map, 1287
Harold D. Roberts tunnel area, bedrock exposures, 469
index, Buena Vista iron deposit in western Nevada, 280
index, Central Kentucky mineral district, 597
index, chromite-bearing locality, Orissa, India, 800
index, Groveland mine, Michigan, 1095
index, Harold D. Roberts tunnel, Colorado, 468
index, Helen iron range, 685
index, manganese districts in Coquimbo province, 432
index, Philipsburg District, Granite County, Montana, 55
index, Quadrilátero Ferrífero, Brazil, 1206
index, Quadrilátero Ferrífero and Raposos-Morro Velho area, 777
index, São João del Rei pegmatite district, Minas Gerais, 984
index, southeast United States, 99
index, Zawar, India, 659
index and locality, Providencia Mine, Zacatecas, Mexico, 884
isopach and lithofacies, upper Mesozoic and lower Tertiary, Mediterranean area, 1163
Kandak mine, Karabortlan, Turkey, 1510
lateral zonal pattern relationships of faults, Cincinnati arch, and veins, Central Kentucky mineral district, 602
lithological and structural, area around Zawar, India, 660
location, Citronelle sediments, Florida, 1109
location, sand mines, Lake Wales Ridge, Florida, 1110
manganese oxide veins, Caballos Mountains, New Mexico, 1435
manganese oxide veins, southwestern United States, northern Mexico, 1433
Map—*Continued*
Minas Gerais, index of São João del Rei pegmatite district, 984
mines, veins, and prospects, Central Kentucky mineral district, 599
morphostructural provinces in Argentina and Chile, positions of metallogenetic belts and centers, 128
norite belts of Bushveld Complex, 200
North Tintic area, Utah, fringe zone calcitization and metallization, 1581
North Tintic area, Utah, fringe zone dolomitization and argillization, 1571
North Tintic area, Utah, silicification in carbonate rocks, 1574
Northern Pennines-Alston Orefield, 14, 15
N. W. California and S. W. Oregon, lateritic deposits, 357
outline, Northern Rhodesia, localities of dated samples, 963
paleotectonic, Cretaceous to Eocene, Mediterranean area, 1165
Pluma Hidalgo area, southern Mexico, 754
Precambrian iron formations, northeastern North America, 1033
Rode Ranch pegmatite, 1350
Rosses granite, geology of, 1541
Shinarump channel system, White Canyon-Monument Valley district, 863
southern Mexico, 731
stream sediment sample map of the Oslo Region, Norway, 91
structural, Pachuca-Real del Monte district, 726
superficial distribution of gaseous cold and thermal waters in relation to the tectonics of Bohemian Massif, 878
surface, greater Pachuca ore district, 729
surface radioactivity, Boso deposit, 316
thermal springs, Sierra Nevada batholith, California, 530
Volta Grande pegmatite area, Minas Gerais, Brazil, 985
Yellowknife greenstone belt, 329
Marcasite, 449, 453, 841
stalactites, 452
Mardin uplift, 1169, 1170
Marino, V., on exhalative origin for banded ironstones, 1027
Mariposa formation, 531
Markovina, V. F., book compiled by, reviewed, 1610
Marsh, Owen T., on Citronelle sediments, 1121
on peculiar clay tubes, 1121
Marshall, C. E., on natural coke of Northumberland, 927
Marshall, N. J., on silicone antifoam reagents effective in preventing emulsification, 1365
Rapid determination of molybdenum in biochemical samples using dithiol, 140–148

Martens, James H. C., on origin of Citronelle formation, 1117
Martite, 1324
Marquette district, 1315
Marrero, Levi, book by, reviewed, 1605–1608
Máška, M., and Zoubek, V., on area of strong Variscian tectogenesis, 878
on peri-Pieninian lineament, 881
Mass spectrometry laboratory, 574
Matheson, A. F., on age of gold-bearing solution, Raposos mine, 783
Mato Grosso, Brazil, genesis of canga, 1232
Maubach, Germany, 476, 478
Maucher, A., on lead-zinc deposits, Southern Alps, 3
Maxwell, J. C., and Azzaroli, A., on pods of massive chromite carried by fluid magma moving at high velocities, 1517
McAlester, A. Lee, Jr., book reviewed by, 346
McAnulty, W. N., and Levinson, A. A., *Rare alkali and beryllium mineralization in volcanic tuffs, Honey Comb Hills, Juab County, Utah*, 768–774
McConnell, G. W., *Notes on similarities between some Canadian gold deposits and the Homestake deposits of South Dakota* (communication), 719–720
Yellowknife gold-quartz deposits (discussion), 328–330
McCullogh, D. S., on liquid/vapor volume ratios in inclusions, 896
McDougall, David J., *Thermal glow tests as a guide to ore deposits* (discussion), 326–327
McKelvey, V. E., Swanson, R. W., and Sheldon, R. P., on Permian rocks of the western conterminous United States, 1161
McKinstry, H. E., on fifty years progress in knowledge of structure of ore deposits, 1551
on second generation pyrite replacing pyrrhotite, 1592
McKinstry, H. E., and Kennedy, G. C., on Fe-O-S system, 1591
McNabb, J. R., and McNabb, J. S., on diamond drilling programs, Philipsburg, Montana, 55
Mean, 643, 645
Mean versus the variance, 645
"Meat-hook" folds, 1087
Mechernich, Germany, 476
Median, 644
Median beryllium content, for seven rock units, 88
Meenbannad Hill, beryl deposits, 1547
Melin, R. E., *Description and origin of uranium deposits in Shirley Basin, Wyoming*, 835–849
Mendelsohn, F., on the gap in ore body at Roan Extension, 417
on syngenetic hypothesis, Copper Belt of Northern Rhodesia and Congo, 2
Mercury, 528
deposits, origin of, 633
Mercy, E. L., on geochemical study of Rosses granite, 1541
Mero, J. L., on manganese nodules from the ocean floor, 10
Merry Widow magnetite orebody, 1299
Merwin, H. E., and Lombard, R. H., on total-pressure isobar at 455 mm Hg (= 0.60 atm.) for the Cu-Fe-S system, 750
Mesabi district, 1315, 1325
K-Ag ages, 1044
Metallogenetic belts, centers, and epochs in Argentina and Chile (Stoll), 126–135
Metamictization, 1359
Metasomatic reconstitution, dolomite, 661
Metasomatism, hydrogen, 544–546
Metastable phases, 547
Metastable solid solution relations in the system FeS_2-CoS_2-NiS_2 (Springer, Schachner-Korn, and Long), 475–491
Meteoric origin, tri-state deposits, 457
Meteorites, iron, 1266
iron, octahedrite class, 1267
Mexico, manganese oxide veins, 1455
Northern Coahuila, manto deposits of fluorspar (discussion), 509–510
Oaxaca, mineralogy and origin of the titaniferous deposit at Pluma Hidalgo (Paulson), 753–767
Zacatecas, Providencia Mine, lead-zinc deposition in the light of fluid inclusion studies (Sawkins), 883–919
Meyer, H. C., and Ljunggren, Pontus, *The copper mineralization in the Corocoro Basin, Bolivia*, 110–125
Meyer, H. C., and Murillo, J. E., on stratigraphic subdivision, Corocoro Basin, 112
Meyerhoff, A. A., book reviewed by, 1605
Michigan, Iron Mountain, the Vulcan iron formation at the Groveland mine (Cumberlidge and Stone), 1094–1106
Michipicoten area, Ontario, 685, 686, 702, 1043
Microanalyser, 487
Microfossils, 1486
Microlite, 993, 997
age determinations on, 1000
barian, 992
Microorganisms reducing sulfate, 1481
Microspherular pyrite, 1488
Miesch, A. T., on "massive rhyolite," 1453
Mikheyenko and Nenashev, N. I., on the age of Yakutian kimberlites, 1370
on age determinations, kimberlite pipe breccia, 1371
on mode of emplacement of kimberlite pipes, 1372
Milashev, V. A., on the age of Yakutian kimberlites, 1371
Milashev, V. A., and others, book by, reviewed, 948, 1188

Miles, K. R., on Precambrian banded iron formations, 1045
Miller, A. M., on veins in the High Bridge Group, and in the Lexington Group, 617
Miller, D. S., and Kulp, J. L., on discrepancies in age of a single sample, uranium ore, 872
Miller, L. P., on biogenesis, 1485
on stability (ability to remain in solution) of a number of different uranous and uranyl complex ions, 1020
on stationary cultures, sulfide yield, 1477
Milligan, V., book edited by, reviewed, 187
Mills, J. W., on two diamond drillhole technique, 149
Mina Grande Orebody, 794
Minas Gerais, Brazil, 776, 798, 1205
Minas series, 779, 1207
Mineral paragenesis and zoning in the central Kentucky mineral district (Jolly and Heyl), 596–624
Mineral paragenesis in the tri-state district, Missouri, Kansas, Oklahoma (Hagni and Grawe), 449–457
Mineral production, present trends, 1281
Mineralization, associated with bioherms, 424, 425
Mineralogy and origin of the titaniferous deposit at Pluma Hidalgo, Oaxaca, Mexico (Paulson), 753–767
Minnesotaite, 1336
Minette type of iron ore, 1027, 1028
Miscibility, bravoite, 475, 478
Mississippi Embayment, 1294
Mitchener, C. E., and Yates, A. B., on solid solutions of fused FeS_2 and NiS_2, 479
Mivula syenite, age determination of, 978
Mocha, rupture breccia, 1556
Mochia Magra mine, 656, 657, 658, 659, 662
Model ages, 977
of galena, 976
Moenkopi, 854
Mohan, Krishna, and Prakash Dharam, *Studies of fire clays of Bansi, Southwestern Mirzapur, Uttar Pradesh*, 1140–1152
Moissanite, 1373
Molassic sediments, Corocoro basin, 115
Molybdenite, associated with beryl, 1549
Molybdenum, Rapid determination of, in geochemical samples using dithiol (Marshall), 142–148
Monitor Butte member, Chinle formation, 860
Monlevade area, 1231
Monosulfides, 483, 485, 490
Monterey formation, phosphorite, 1161
Montezuma stock, 470
Montmorillonite, 550, 552, 555, 560, 770, 771
Montoya, J. W., Baur, G. S., and Wilson, S. R., on isolation of mineral with x-ray diffraction pattern identical to synthetic beta-$Be(OH)_2$, Honey Comb Hills, 774
Monument mineral belt, 868
Mookherjee, Asoke, *Distribution of radioactivity in the Mosaboni copper mine, Bihar, India* (discussion), 501–502
The geology of the Zawar lead-zinc mine, Rajasthan, India, 656–677
Thermal metamorphism of the sulfide minerals at Zawar Mines, Rajasthan, India (communication), 498–500
Moonta, South Australia, 1266
Moorbath, S. M., on constants for Holmes-Houtermans model, 977
on model ages for galena, Northern Pennines, 12
Moore, C. A., book by, reviewed, 737
on nelsonite dikes related to granodiorite, 764
on titanium deposit in Virginia, 757
Moore, E. S., on origin of colloform magnetite, 1302
Moore, E. S., and Maynard, J. E., on iron and silica transported as hydrosols, 1028
Moorehouse, W. W., and Beales, F. W., on "Gunflint rocks as immense organically controlled accumulation," 1054
Moravo-Silesian region, 881
Morey bomb, 1007
Morey, G. W., on solubility more important than volatility in ore-forming processes, 24
Morocco, manganese oxide deposits, 1457
Morro do Urucum, 1056
Morro Velho mine, 776, 789
zone, 780
Mosabhoni copper mine, Bihar, geothermometric measurements of sulfide minerals, 136
Mosaic, 557
Moss Back member, Chinle formation, 862
Mother lode, 528
Mouat, M. M., on manganese oxides, Artillery Peak district, 1443
Mount Isa, Australia, 422, 423, 1474
Mt. Pelee, 1561
Mourne Mountains, 1549
Mounting and polishing mineral grains on a microscopic slide for study with reflected and polarized light (Sanders and Kravitz), 291–298
Moxham, R. M., *Radioelement dispersion in a sedimentary environment and its effect on uranium exploration*, 309–321
Moyd, L., on nickel-bearing basic rocks of Pennsylvania, 1346
Mtuga aplite, age determination of, 967
Mufulira copper mine, 398
Muldraugh dome, 620
Multiple-migration-accretion hypothesis, 49
Muscovite, the stability field for, 555

Mutatis mutandis, 1074
Mutual boundary, 1259
textures, 1258, 1260
Myrmekitic, intergrowth, 1259
textures, 1242

Na-montmorillonite, 552
Nandy, N. C., and Dutt, A., *The iron ores of Cerro Bolivar, Venezuela* (discussion), 330–332
Na_2O-Al_2O_3-SiO_2-H_2O systems, 547, 548, 549
Na_2S solutions, 626
Nabarro, F. R., on elastic strain energy, 1244
Narayahaswami, 1062
Narkelyun, L. F., book by, reviewed, 338
Nashville dome, 599, 601, 618
Nath, M., on clay deposits in Bansi, 1140
Native nickel-iron alloy, its mode of occurrence, distribution and origin (Krishnarao), 443–448
Nchanga granites age determinations, 972
Negaunee iron-formation, 1332
Nelsonite, 764
Neptunist concepts in ore genesis (Dunham), 1–21
Nevada, barite veins, 1460
A new, Baringer Hill-type, rare-earth pegmatite from the central mineral region, Texas (Ehlmann, Walper, and Williams), 1348–1360
Newhouse, W. H., on pyrrhotite containing nickel, 140
New Mexico, Cerrillos, geology of a disseminated copper deposit near (Wargo), 1525–1538
fluorite deposits, 1462
Neutron activation analysis, 251
Nevada, fluorite deposits, 1462
Nickel, An exploration program in the southeastern United States (Worthington), 97–109
Nickel content, bravoite, 477
Nickel, E. H., on awaruite from Province of Quebec, 444
Nickel Mountain, Riddle, Oregon, 356, 358
Nickeliferous laterites in southwestern Oregon and northwestern California (Hotz), 355–396
Nickel-iron alloy, native, its mode of occurrence, distribution and origin (Krishnarao), 443–448
Nightingale, G. J., book edited by, reviewed, 188
Nissen, A. E., and Hoyt, S. L., on solid solution of Aga 5 in galena, 1006
on solubility of Ag_2S in PbS, 1011
Noamundi mine, India, 1218
Nogami, H. H., and Hurley, P. M., on absorption factors calculated for galena, 1010
Nolan, T. B., on epithermal deposits, 1463
Nontronite, 841, 845
Norris Basin, Yellowstone Park, 544
North Tintic district, Utah, fringe zone alteration in carbonate rocks (Proctor), 1564–1587
Northern Pennine district, 619, 621
orefields, 12
Alston field, 13, 14, 15, 16
genesis, 17
Northern Rhodesian Copperbelt, Katanga, and Australia: association of mineralization and algal reef structures on (Garlick), 416–427
the role of the biochemical cycle in the development of copper/cobalt anomalies in the freely drained soils of (Tooms and Jay), 826–834
Northern Rhodesia, a review of age determinations from (Snelling, Hamilton, Drysdall, and Stillman), 961–981
Stromatolites and other algal structures at Mufulira (Malan), 397–415
Northgate deposits, Colorado, 1454
North Holdaway Canyon, 1582
Norton, J. J., Griffitts, W. R., and Wilmarth, V. R., on beryllium being an oxyphile element unlikely to be found near abundant sulfur, 922
Nowlan, G. A., and Canney, F. C., *Determination of ammonium citrate-soluble cobalt in soils and sediments*, 1361–1367
Solvent effect of hydroxylamine hydrochloride in the citrate-soluble heavy metals test (discussion), 721–722
Nsuta deposit, Ghana, 76
Nsuta MnO_2, 65
Nucleation, 1244

Oburn, E. T., and Hem, J. D., on microorganisms in soil, 1227
O'Driscoll, E. S., *Cross fold deformation by simple shear*, 1061–1093
Oelsner, O., on "rucken," post-Triassic, 9
on weathering of 160,000 cubic km from the Variscan Mountains, 11
On diamantiferous diatremes (Davidson), 1368–1380
Ontario, Helen iron range, 685–718
Onverwacht platinum pipe, 215
Oolites of hematite, 1100
Oparin, A. I., on origin of life, 1054
Opaque ore minerals, proposed working reflectivity standards for (Jansen), 1153–1158
Ophiolite complexes, 1517
concept, 1517
Orcel, J., on calibrating the reflectivity-measuring instrument, 1154
Orebodies, tabular, 1386
Ore Knob, N. C., 1589
Ore pods, uranium, 868
Origin and occurrence of carbon dioxide and gaseous mineral waters, variscian platform, Central Europe (Vrba), 874–882
Origin of beryllium, 773

Origin of certain magnetite-bearing pegmatites in the eastern part of the Bushveld Complex, South Africa (Cameron and Desborough), 197–225
Origin of chert, 1029
Origin of Precambrian iron formations (Lepp and Goldich), 1025–1060
Origin of the silica sand deposits of the Lake Wales ridge area of Florida (Pirkle, Yoho and Allen), 1107–1139
Orissa, India, 799–825
Orlov, Yu. L., book by, reviewed, 949
Ortho-magmatic, chromite, 682, 683
O'Rourke, J. E., on banded iron formations, 1046
Orville, P. M., on the base exchange relationship between the alkali feldspars, 555
on the aqueous *m*NaCl/*m*KCl ratio, 562
Ostrea, 433, 440
Ostroumov, E. A., and Shilov, V. M., on H_2S and iron sulfides, sediments of Kuril-Kamchatkan and Aleutian deeps, 1481
Oxidation potential (Eh), mine waters, 267
"Oxide facies," 1103
Oxidized iron formation, Groveland mine, 1101
Oxygen fugacity, 670
Oxygen, the possible role of in the anomalous pyrite-pyrrhotite relation (Salotti), 1588–1595
Oxyphile nature, beryllium, 922
Ozark Uplift, 1293

Pa^{231}, 586, 593, 594
Page, Lincoln R., and others, on the Edison and Bull Con pegmatites, 999
Paige, S., on rare-earth minerals in the Llano region, 1349
on Valley Springs gneiss, 1350
Palache, C., on arseniosiderite, a hydrothermal vein mineral, 1450
Palache, C., Berman, H., and Frondel, C., on densities of the solid solution end members, 1252
on podiform chromites, magnesium-rich solid solutions of spinel, magnetite, and chromite series, 1501
Paleo-channels at the Guayacan copper mine, Cabildo District, Aconcagua Province, Chile (Carter and Aliste), 1283–1292
Paleomagnetic research, 796
Pampean Ranges, Argentina, 127
Panzera mine, pegmatites, 1000
Paragenesis studies, Providencia ore bodies, Mexico, 894
Paragenetic diagram, Zawar mine, 666
Paragenetic sequence, spodumeme-bearing dikes, 999
tri-state district, 450, 451, 452, 453, 454, 455
uranium deposits, Shirley Basin, 847
Paragonite, 559
stability field for, 555
Pardee, J. T., on manganese ores, Philipsburg Quadrangle, Montana, 55
on origin of hypogene mineralization in Philipsburg granodiorite batholith, 61
on oxidation beginning along fractures in rhodochrosite, 74
Pareek, H. S., *Petrological characteristics of Barakar coal, metamorphosed by lamprophyre sill, in Jharia coalfield, India* (communication), 926–929
Park, C. F., Jr., on development of canga, 1233
on hematite cement in canga, 1220
Is geologic field work obsolete?, 527–537
on mineral content of metalliferous deposits changing with depth from surface, 1459
Problems of postmagmatic ore deposition (communication), 322-324
Passive and active profiles, 1087
bodies, 1072, 1075
crest, 1069
fold, 1070
Pataqua, 638, 641, 642, 645
Patterson, C. C., on probable age of the earth, 1042
Paulson, E. G., *Mineralogy and origin of the titaniferous deposit at Pluma Hidalgo, Oaxaca, Mexico*, 753–767
Pecora, W. T., and Klepper, M. R., on rocks, pre-mica pegmatite in age, Minas Gerais, 990
Pennines, 619
Pentlandite, 446, 681
Percival, F. G., book reviewed by, 1398
on Precambrian iron ores, 1045
Pereira, J., *Zawar lead-zinc—hypogene-hydrothermal or remobilized?* (discussion), 1603–1604
Perfectly mobile component, defined, 558
Perhac, Ralph M., and Heinrich, E. Wm., *Fluorite-bastnaesite deposits of the Gallinas Mountains, New Mexico and bastnaesite paragenesis*, 226–239
Peridotite, 443, 446
Perioditite, high-temperature alpine type, 1346
Perry, V. D., on subsidence breccia, Cananea, Mexico, 1557
on upward termination of breccia pipes, Cananea, Mexico, 1554
Petauke district, age determinations from, 977
Peters, W. C., on association of veins of barite and fluorite, 1462
Petersen, Ulrich, *Synthetic and natural phases in the system Au-Ag-Te* (discussion), 1390–1394
Petrascheck, W. E., on Kupferschiefer in Bohemia rich in arsenic, 11
on Soridağ area, Turkey, 1518, 1519, 1520

Petrascheck—*Continued*
on underlying brecciated serpentine, Guleman area, Turkey, 1521
Petroleum production, 1277
Pettijohn, F. J., on origin of chert, 1029
on ferric oolites, 1053
on secular changes in nature and character of sedimentary rocks, 1055
Petrofabric studies, Sierre Nevade batholith, 533
Peumo mine, 1289
Phase equilibrium, systems MgO-Cr_2O_3-SiO, 1346
Phase rule, 539
Phemister, T. C., on colloform magentite, 1302
Philipsburg district, manganese oxide ore, 54
Phillips, K. A., on geology of Petauke district, 977
Phlogopite, 1371
Phoenix muscovite, age determination of, 970
Phosphogenic provinces, 1161
Phosphoria Formation, 1161
Phosphorite, exploration for in Turkey—a case history (Sheldon), 1159–1175
exploration techniques, 1160
petrography of, 1171
marine exploration for, 1173
Phosphorus, 1220
content, 1040
Photo densitometer, 461
Photosynthetic sulfide-utilizing bacteria, 1481
Picro-ilmenite, 1370–1377
Piedmontite, 437, 438, 441
Pig iron, 1270
Pinto de Souza, F., on tonnage or grade estimates of intermediate ore (oral communication), 1213
Pires, Congonhas district, 1232
Pirkle, E. C., on alluvial origin, Citronelle sediments, 1128
on Hawthorne Formation, 1113
on kaolinitic clay settling in a flowing stream, 1134
on kaolinite of Citronelle Formation, 1120
on unconformity at base of Citronelle strata, 1123
Pirkle, E. C., Yoho, W. H., and Allen, A. T., *Origin of the silica sand deposits of the Lake Wales ridge area of Florida*, 1107–1139
Pitanda, 420, 421
Pitchblende, 571
"Pitch reversals," 1062, 1082
Pitcher, W. S., on the Rosses granite, a ring complex, 1539
Placer deposits, in Rebeiro Sujo, 988
Pleistocene terraces, 1132
Polarography, compared with atomic absportion, 253–254
Pomerene, J. B., book by, reviewed, 1398–1402
on chemical canga, 1221
on hypothesis that canga was formed by replacement of soil over itabirite, 1233
on softened itabirite more than 200 m below the surface, 1215
Plagioclase, hydrolytic decomposition, 555
Polyphylletic origin, 673
Pomerene, Joel B., book by, reviewed, 1398–1402
Poschiavo, Switzerland, 444
The possible role of oxygen in the anomalous pyrite-pyrrhotite relation (Salotti), 1588–1595
Possible solution to the paradox of the "sedimentary" bornite (Gauchen), 303–308
A possible source of solutions of the Illinois-Kentucky fluorspar district (Brecke), 1293–1297
Post-Gondwana surface, 1209, 1229
Postmagmatic ore deposition, 322
Potassium, 543
Potassium-argon ages, of Sierra Nevada range, 532
Potassium and calcium-magnesium metasomatism, propylitic alteration, 542
Potter, Paul E., and Pettijohn, F. J., book by, reviewed, 1189
Pouba, Z., and Roth, Z., and others, on geology and tectonics of Bohemian Massif, 875
Prakash, Dharam, and Mohan, Krishna, *Studies on fire clays of Bansi, Southwestern Mirzapur, Uttar Pradesh*, 1140–1152
Precambrian iron formations, 1040
Precordillera, N-S mountain ranges in Argentina and Chile, 127
Pressure coefficients, 629
Pressure correction, filling temperatures, 900
Pre-uranium mineralization model ages, 976
Principal features and origin of podiform chromite deposits, and some observations on the Guleman-Soridag district, Turkey (Thayer), 1497–1524
Proctor, Paul Dean, *Fringe zone alteration in carbonate rocks, North Tintic district, Utah*, 1564–1587
Proposed working reflectivity standards for opaque ore minerals (Jansen), 1153–1158
Propylitic alteration, defined, 542
Propylitization, Comstock Lode, 1463
of hornblende andesite, 283
type of alteration, 761
Protactinium-231, 571, 593
Providencia mining camp, 883–919
Pseudo-replacement, 1261
Psilomelane, 437, 438, 1442

Pucón River, 638
Puri, Harbans S., and Vernon, Robert O., on Citronelle Formation, 1117
on Hawthorne Formation, 1123
on Middle Miocene, 1123
Putnam, William C., book by, reviewed, 1189
Putzer, H., on canga of Mato Grosso and Minas Gerais, 1233
Pyrite, at Zawar mine, 664
Pyrite + pyrrhotite curve, 750
Pyrite-pyrrhotite relation, anomalous, the possible role of oxygen in (Salotti), 1588–1595
Pyrochroite, 1441
Pyrolusite, 437, 438, 1443
Pyrope, 1370
detrital, 1371
garnets, 1377
Pyroxenite, steatitized, 808
Pyrophyllite, 552, 563, 564
Pyrophyllitization, 561
Pyrrhotite, 446, 681, 691, 750, 796
as a geothermometer, 140

Quadrilátero Ferrífero, Minas Gerais, Brazil, 776, 1205
Quartz-garnierite veins and boxwork, origin, 391–392
Quartz-sericite zone, 542
Quebrada Marquesa formation, 429, 433, 441,
age, 434, 435
Quervain, F. De, on the association of awaruite with pentlandite and heazlewoodite, 443

Radioactive disequilibrium studies of roll features, Shirley Basin, Wyoming (Dooley, Tatsumoto, and Rosholt), 586–595
Radioactive disequilibrium, 571
equilibrium, 580, 587
Radioactivity of phosphorites, 1166
Radioelement content, coastal plain sediments, 315
Radioelement dispersion in a sedimentary environment and its effect on uranium exploration (Moxham), 309–321
Radtke, A. S., *Geology and mineralogy of the Buena Vista iron ores, Churchill County, Nevada*, 279–290
Rajputana area, 657
Ramsdellite, 1443
Ramdohr, Paul, on chalcopyrite occurring as exsolution lamellae, lenses, flames, wedges, 1266
on "fossilized bacteria," 1486
on metamorphism having post-dated ore concentration, Broken Hill assemblage, 3
on the paragenesis of awaruite. 443
on post lode metamorphism, 1092
Ramdohr—*Continued*
Remarks on quantitative measurements of reflectivity (discussion), 502–509
on solubility of Ag_2S in galena, 1011
Ramp, L., on linear banding ascribed to flowage and shearing following accumulation of chromite, 818
Ramsay, J. G., on cross folds, 1062
Rand, J. R., *Vein-wall rock relationships, White Pine Mine* (discussion), 160–161
Rankama, K., book by, reviewed, 951
Rao, Krishna, J. S. R., *Chromite from Kondapalle, Kristna District, Andhra Pradesh, India*, 678–683
Geothermometric measurements of sulfide minerals, Mosabhoni copper mine, Singbhum district, Bihar, 136–141
Native nickel-iron alloy, its mode of occurrence, distribution and origin, 443–448
on low-temperature origin of awaruite, 444
Raposos Zone, 781
Rapid determination of molybdenum in geochemical samples using dithiol (Marshall), 142–148
Rare alkali and beryllium mineralization in volcanic tuffs, Honey Comb Hills, Juab County, Utah (McAnulty and Levinson), 768–774
Rare-earth pegmatite, 1348–1360
Rb:Dr ratio, 967
$^{87}Rb/^{86}Sr$ dates, 972
Rb-Sr, 974
method, 975
Red beds, containing bornites with chalcopyrite in solid solution, 303–307
origin of, 296, 297
Red cloud fluorite mine, geologic map, 229
Red Mountain district, 544
Redox *interface*, uranium-ore roll, 47, 50
potential, 846
Reed, D. F., on the analog, brookite, occurring in a quartzite and rutile in an alkaline rock near Magnet Cove, Arkansas, 763
Reed, J. C., Jr., Bryant, B., and Hack, J. T., on solution of quartz from quartzite in North Carolina, 1217
Re-emplacement, 1517
Reeve, W. H., book by, reviewed, 738
Reflectivity, 1153–1158
measurements, 1153
Refractory clays, 1143
Reinhardt, E. V., on correlation of Shinarump scours, 864
Relation of copper to rock types in an area of known economic mineralization (Stanley), 1492–1496
Replacement deposit, Zawar lead-zinc mine, 663
Replacement of plagioclase by K-feldspar, 563

Replacement processes, textures, 1268
Residual soil, Southeast United States, 101
A review of age determinations from Northern Rhodesia (Snelling, Hamilton, Drysdall, and Stillman), 961–1002
Reviews:
Canadian geotechnical journal, Vol. 1, No. 1 (Milligan, Ed.), 187
Chromatography in geology—Methods in geochemistry and geophysics (Ritchie), 950
Climates of the past—an introduction to paleoclimatology (Schwarzbach), 514
Complexing and hydrothermal ore deposition (Helgeson), 1611
Crystal structures, 2nd Edit., Vol. 1 (Wyckoff), 348
Developments in sedimentology. Vol. 1. Deltaic and shallow marine deposits (Van Straaten, Ed.), 1611
Earth and earth-rock dams (Sherard, Woodward, Gizienski, and Clevenger), 514
Economic mineral deposits of India (Borooah), 1612
Economic minerals of Taiwan (Ho and Lee), 1612
Elements of structural geology (Hills), 515
Fluvial processes in geomorphology (Leopold, Wolman, and Miller), 950
Geochemistry of solids. An introduction (Fyfe), 737
Geologic map of Africa (UNESCO in Paris), 1408
Geologisches Worterbuch (Verlag), 186
Geological survey research 1963. Short papers in geology and hydrology (U.S.G.S., prof. papers), 347
Geological survey research 1963. Short papers in geology and hydrology, articles 122–172 (U.S.G.S.), 951
Geology (Putnam), 1189
Geology and mineral deposits of the Pachuca-Real del Monte district, Hidalgo, Mexico (Geyne et al.), 177–179
The geology and mineral resources of Northern Rhodesia (Reeve), 738
Geology and ore deposits of the Belo Horizonte, Ibirité, and Macacos Quadrangles, Minas Gerais (Pomerene), 1398–1402
Geology and ore deposits of the Itabira District, Minas Gerais, Brazil (Dorr and Barbosa), 511
Geologic map of Africa (UNESCO in Paris), 1408
Handbook of subsurface geology (Moore), 737
International handbook of coal petrography (publisher, International Committee for Coal Petrography), 942–943
Reviews—Continued
Les formations sédimentaires de lo Mauritanie Méridionale et du Madi Nord-Occidental (Afrique de l'Ouest) (Bense), 1408
Les gisements métallifères: géologie et principes de recherche (Pierre Routhier), 943–946
Mineralogy for amateurs (Sinkankas), 1613
Mineralogy and types of deposits of selenium and tellurium (Sindeeva), 1407–1408
Mines register, Vol. 26 (Nightingale, Ed.), 188
Paleocurrents and basin analysis (Potter and Pettijohn), 1189
Post-paleozoic ostracoda, Vol. 2, Generic descriptions (Van Morkhoven), 346
Progress in isotope geology (Rankama), 951
Sedimentary manganese ores (Varentsov), 1610
Soviet antarctic expedition (translated), 950
Stratigraphy and sedimentation (Krumbein and Sloss), 515
Studies in analytical geochemistry (ed. Shaw), 949
Submarine geology, 2nd Ed. (Shepard), 187
Symposium on industrial rocks and minerals, held in Lahore, Pakistan, December, 1962 (Central Treaty Organization office of U. S. Economic Coordinator, Ankara, Turkey), 1409
Symposium: Problems of postmagmatic ore deposition with special references to ore veins, Vol. I, 346, 347
These fragile outposts—a geological look at Cape Cod, Martha's Vineyard, and Nantucket (Chamberlain), 1408
U. S. Geological Survey Professional Paper 501-B, Geological Survey Research, Chapter B, 1610
Venezuela and its resources (Marrero), 1605–1608
Zur entstehung der marin-sedimentären eisenerze (Braun), 952
Reviews of Russian Books
Albitized and greisenized granites (Beus), 337
The apatite deposits of the Khibin tundra (Ivanova), 1188
Chemical analyses of eruptive rocks (Markovkina), 1610
Chemistry of earth's crust, Vol. I (Academy of Sciences, Moscow), 335
Collected information on knowledge of precious stones (Biruni), 1189
Contributions to the study of, and methods of prospecting for, blind ore bodies, 947

Reviews of Russian Books—Continued
The determination of minerals of uranium and thorium (Bur'yanova), 338
The exploration of stockwork deposits of non-ferrous and rare metals (Galkin), 337
General outlines of the geochemistry of uranium (Academy of Sciences, Moscow), 336
General regularities of fault tectonics of the Earth's crust (Chebanenko), 337
Geochemical methods of prospecting for ore deposits (Saukov), 947
Geochemistry, mineralogy, and genetic types of deposits of the rare elements (Vlasov, Ed.), 1186
Geology and geochronology of the Precambrian (Eliseev, Ed.), 1187
Geology and lithology of the Middle Proterozoic carbonate rocks of Karelia (Sokolov), 338
The geology and mineralization of the Dzhezkazgan deposit (Narkelyun), 338
The geology of diamond deposits (Rozhkov, Ed.), 1188
Geology in Russia during the first half of the XIXth century (Tikhomirov), 948
Kimberlitic rocks and picritic porphyries of the northeast part of the Siberian platform (Milashev et al.), 1188
Kimberlitic rocks and picritic porphyries of the north-west part of the Siberian platform (Milashev and others), 948
Mineralogy of the rare earths (Semenov), 1187
Mineralogy of titanium placers (Zherdeva and Abulevich), 1610
Mineralogy of the Transcarpathians (Lazarenko and others), 948
Minerals: a reference book (Chukhrov and Bonshtedt-Kupletskaya, Ed.), 516
Morphology of the diamond (Orlov), 949
The Nikopol manganese ore basin (Bass and others, Ed.), 1609
Nuclear geology and geophysics (Larionov), 949
Platinum of the Alden Shield (Rozhkov et al.), 516
Problems of the genesis of ores (Smirnov, Ed.), 1609
Regional metamorphism and some problems of petrology (Sudovikov), 1608
Regional stratigraphy of China, 337
The regularities of distribution of ore deposits, Vol. V (Academy of Sciences, Moscow), 336
Regularities in the distribution of useful minerals (Smirnow), 1609
Short course in marine geology (Leont'Yev), 949
Stratigraphy of the U.S.S.R.: upper Precambrian (Ed. Keller), 946
Types of lithogenesis and their evolution in earth history (Strakhov), 947
Reviews of Russian Books—Continued
Uranium in ancient conglomerates (Kotlyar, Ed.), 168–176
Volcanic-sedimentary and terrigenous formations (Academy of Sciences, Moscow), 335
Reviews of Russian Periodicals, see *Geologiya Rudnykh Mestorozhdenii*
Reyna, G., on discovery of titanium deposits, Pluma Hidalgo area, Mexico, 756
Reynolds, Robert E., *Formation of ore deposits by water of compaction* (discussion), 723–724
Rheid flow, 1066
Rhodochrosite, 76
Rhodonite, 1466
Richter-Bernburg, G., on copper deposits, Richelsdorf, W. Germany, 6
on exhalative-sedimentary origin for Kupferschiefer, 12
Rio Grande graben, 1527
Ritchie, A. S., book by, reviewed, 950
Richmond Group, 600
Richter, D. H., and Ingerson, E., on the experiments of Skinner and Grunig, 896
Rinconada de lo Cerda, 638, 641, 642
Rinse, J., on the dissociation of cinnabar, 632
Rio Blanco copper porphyry, 1561
Roades, R., and Mistler, A. J., on structural features, fluorspar area, 1293
Roan Antelope mine, age determination of, 968
Roan extension, 417
Roberts, Hugh M., book reviewed by, 511
Roberts, W. M., on mineralogical research on low temperature sulfide synthesis, 1485
Robidium-strontium results and apparent ages, 969
Roedder, E., on NaCl content of hydrothermal solutions, 915
on salinity of fluid inclusions, 907
Rogers, C. L., et al., on La Caja anticline, 886, 888
(also written communication, Rogers), on Providencia area, Zuloaga limestone underlain by Minas Viejas evaporite formation, 885
on stratigraphy of Providencia mine, 884
The role of the biochemical cylce in the development of copper/cobalt anomalies in the freely drained soils of the northern Rhodesian Copperbelt (Tooms and Jay), 826–834
Rolff, P. A. M. de A., on general geology of the São João del Rei area, 989
on granitization of Itacolomi quartzites, 989
Roll features, 573, 576, 584, 590, 591, 843
Romaneche, France, 1468
Roseboom, H. E., and Kullerud, G., on temperature of the invariant point, 749

Rosholt, J. N., Dooley, J. R., and Tatsumoto, M., *Radioactive disequilibrium studies of roll features, Shirley Basin, Wyoming*, 586–595
Rosholt, J. N., Harshman, E. N., Shields, W. R., and Garner, E. L., *Isotopic fractionation of uranium related to roll features in sandstone, Shirley Basin, Wyoming*, 570–585
Rosier, G., on intrusion of gabbroic rocks, Gölalan ore body, 1521
on thickness of deposits near Guleman and Soridağ, Turkey, 1518
Ross, C. S., on paragenetic sequence, Ore Knob, N. C., 1592
on the Roseland anorthosite, Virginia, 764
on titanium deposit in Virginia, 757
Rosses granite, 1541
Rossman, D. L., on flow structures in alpine-type host rocks, podiform chromite deposits, 1516
Rossman, D. L., et al., on Coto podiform deposit, 1514
Rothrock, H. E. et al., on small late veins of calcite containing manganese, 1450
Rough Creek fault zone, 599, 604, 615
Routhier, P., book by, reviewed, 943–946
Nickeliferous laterites in southwestern California (discussion), 1396
Rove, Olaf N., book reviewed by, 177
Roy, S., *Manganese ores, Andhra Pradesh, India* (discussion), 154–157
Rozhkov, I. S., book edited by, reviewed, 1188
Rozhkov, I. S., et al., book by, reviewed, 516
Rubidium, 768, 771
Rucio ore body, 904
Ruckmick, J. C., on Cerro Bolivar deposit in Venezuela, 1215
on "crustal ore," 1220
on mobility of quartz under supergene conditions, 1217
The iron ores of Cerro Bolivar, Venezuela (discussion), 1397
Rum Jungle, 422
Rutile, 754, 755, 762, 763
Rutten, M. G., on geological aspects of origin of life on earth, 1056

Safflorite, 1289
Sales, Reno H., *Hydrothermal versus syngenetic theories of ore deposition* (discussion), 162–167
Sagua de Tánamo, Cuba, chromite, 1501
St. Peter sandstone, 600
Sainsbury, C. L., *Association of beryllium with tin deposits rich in fluorite* (communication), 920–925
Sainsbury, C. L., et al., on beryllium deposits, Seward Peninsula, 920
Sakamoto, T., on weathering under a monsoon-type of climate, 1028
Sales, R. H., on epigenetic origin, Corocoro mine, 123
Sales, R. H., and Meyer, Charles, on constant volume replacement, 557
Salinity, hydrothermal solutions, 915
Salinity studies, fluid inclusions, 907
Salotti, Charles A., *The possible role of oxygen in the anomalous pyrite-pyrrhotite relation*, 1588–1595
Sampson, Edward, on hydrothermal chromite, 682
Interruptions and present trends of mineral production, 1270–1282
Sandberger, F., on lateral secretion, 4
Sandel, E. B., on colorimetric methods, 137
Sanders, John E., and Kravitz, Joseph H., *Mounting and polishing mineral grains on a microscopic slide for study with reflected and polarized light*, 291–298
Santa Rita, New Mexico, 545
São João del Rei pegmatite district, 982–1002
Saukov, A. A., book by, reviewed, 947
Sawkins, F. J., *Lead-zinc ore deposition in the light of fluid inclusion studies, Providencia Mine, Zacatecas, Mexico*, 883–919
Saxonian volcanism, 876, 877
Saxonite, 362
chemical and spectrographic analyses of samples in southwest Oregon, 363
Scapolite, 1376
Schachner-Korn, D., on composition of natural bravoites, 476, 477
Schalenblende ores, 1266
Schapiro, N., and Gray, R. J., on coal reflectivity range, 1154
Scheelite, Sierra Nevada batholith, 535
Schlieren bands of chromite, 806
platten, 1516
Schmitt, H. A., on epithermal group of mineral deposits, 1470
Schmidt, W. E., on pyrite-sphalerite-barite deposit, Meggen, Westphalia, 2
Schmitz, G., on Northern Rhodesian Copperbelt, 123
Schneiderhöhn, H., on period of European mineralization, 11
on remobilization from source beds, Zawar mine, 671
on sedimentary origin of Copper Belt of Northern Rhodesia and Congo, 2
Schouten, C., on metasomatism, 1267
on microspheres not being fossil bacteria, 8
on pitfalls in the interpretation of ore textures, 1267
on replacement of sulfide by another from solution, 1243
on reverse paragenetic sequence, 1268
Schuiling, Roelof, D., *Hydration energy—a possible contribution to crustal heat—a comment* (discussion), 937–938
Schüller, A., on "Red Bed" copper deposits, 10

Schultz, O., on lead-zinc deposits, Southern Alps, 3
Schwartz, G. M., on anomalous pyrite-pyrrhotite relation, 1588
on chalcopyrite occurring as exsolution lamellae, lenses, flames, wedges, 1266
on experimental studies of exsolution in sulfides, 1242
on formation of lamellae only on rapid cooling, 1247
on important criterion for propylitization —the formation of chlorite and epidote as alteration products, 761
on pitfalls in the interpretation of ore textures, 1267
on primary hematite in "high-temperature" sulfide deposits, 1591
Schwarzbach, M., book by, reviewed, 514
Secondary enrichment, 1226
"Sedimentary" bornite, a possible solution to the paradox of the (Gauchen), 303–308
Segmented veinlets, 665
Segregation, chromite, 682
Selenium, 840
Sellards, Elias H., on clay resulted from decomposition *in situ* of feldspar sand, 1119
Selma-Paymaster area, 1582
Semonov, E. I., book by, reviewed, 1187
Sen, S. K., on a replacement origin of antiperthite, 757
Sepiolite, 385, 386, 387
Sericitization, 543
addition of potassium to the rock, 563
Sericite zone, 560, 561
Serpent Mound structure, 599
Serpentine, 679, 681, 1345
Serpentinization, 446, 804
Shams, F. A., *Structures in chromite-bearing serpentinites, Hindubagh, Zhob Valley, West Pakistan,* 1343–1347
Shand, S. J., on formation of colloform magnetite, 1302
on process of self-oxidation, 1303
Shapiro, L., on chemical test for phosphate, 1167, 1169
Shasta copper deposits, 528
Shaw, D. M., book edited by, reviewed, 949
Shawe, D. R., on uranium-roll-ore deposits, Colorado Plateau, 46, 50
Shawneetown, 1293
Shear couple, 1066
deformation, 1084
fold anticline, 1069, 1075
zone deposits, 820
Shearer, H. K., on stalactites and stalagmites of limonite, 1234
Sheeprock Mountains granite, Utah, 1549
Sheldon, Richard P., *Exploration for phosphorite in Turkey—a case history,* 1159–1175
on origin of Permian rocks, 1161
Shepard, F. P., book by, reviewed, 187
Sherard, J. L., Woodward, R. J., Gizienski, S. F., and Clevenger, W. A., book by, reviewed, 514
Sheskinarone townland beryl deposits, 1542
Shields, W. R., Garner, E. L., Rosholt, J. N., and Harshman, E. N., *Isotopic fractionation of uranium related to roll features in sandstone, Shirley Basin, Wyoming,* 570–585
Shinarump, 858
channels, 851, 862
Shinarump member, Clinic formation, 854, 856, 1292
Shirley Basin, Wyoming, description and origin of uranium deposits in (Melin), 835–849
isotopic fractionation of uranium related to roll features in sandstone (Rosholt, Harshman, Shields, and Garner), 570–585
radioactive disequilibrium studies of roll features (Dooley, Tatsumoto, and Rosholt), 586–595
Siberian platform, 1369
Siderite, 1316
deposits, 685, 691
granules, 1318
partings, 324,, 1320
Siderite-pyrite deposition, geochemically related to footwall volcanics, 715
Siderite-pyrite member of the Helen iron formation, 704, 706, 709, 710, 711
chemical correspondence to footwall volcanics, 714
Sierra Nevada batholith, 527, 528, 529
potassium-argon age, determination of, 532
relative ages of igneous activities of, 531, 532
Siever, R., on solubility of quartz in water at 25° C., 1217
Sigvaldason, G. E., and White, D. E., on the occurrence of feldspathization in the zone of boiling, 565
Silica Pit area, Steamboat Springs, Nevada, 544
Silica precipitation, 712
Silica and deposits of the Lake Wales Ridge area of Florida, origin of (Pirkle, Yoho, and Allen), 1107–1139
Silica sands, 1107–1139
Siliceous bicarbonate solution, 714
Silicification, 804, 819
Silver, 110, 884, 1004, 1006, 1010
Silver Bell, Arizona, 559
Silver-gold ratios, solid solution, 325
Silver, solid solution in galena, 1013
Silverton, Colorado, 544
Simmons, G. C., on chemical canga, 1221
on formation of canga deposits, 1233
on leucophosphite in bat caves, 1220
Simple shear, 1090
Simpson, Dale R., *Binary system PbS-PbSe* (communication), 150

Sinda batholith, Northern Rhodesia and Mozambique, 977
Sindeeva, N. D., book by, revieed, 1407–1408
Sindowski, F. K. Heinz, on weathering and transportation of garnet, 1125
Singlewald, J. Y., and Berry, E. W., on Corocoro mine, Bolivia, 111
on fossil plants of Corocoro region, 115
Sinkankas, John, book by, reviewed, 1613
Skarn, ore bodies, 1594
Skinner, B. J., on liquid vapor volume ratios of inclusion, 896
Sleisbeck, 422
Smirnow, V. I., books edited by, reviewed, 1609
book by, reviewed, 1609
Smith, A. W., *Remobilization of sulfide orebories* (discussion), 930–935
Smith, C. H., on chromite deposits in Bay of Islands complex, 1502
Smith, C. S., on breakdown of lamellae, 1246
Smith, W. C. and Gonzales, E. M., on wolframite-quartz veins of Josefina mine, 131
Smoky quartz, by radioactive bombardment, 1351
Snelling, N. J., Hamilton, E. I., Drysdall, A. R., and Stillman, C. J., *A review of age determinations from Northern Rhodesia,* 961–981
Society of Economic Geologists
announcement of Waldemar Lindgren citation awards, 523
notice of February 1965 meeting, abstracts of which are in No. 8 (this issue), 1618
proceedings for the year 1963, 1193
Society of Economic Geologists, abstracts of papers given at joint meeting with G.S.A., Miami, November, 1964 at Miami, 1415–1427
Bohmer, Harold, *Mineralogy of the tetrahedrite series,* 1426
Bomberger, S. B., and Barnes, H. L., *Solubility of covellite in synthetic ore solutions,* 1424
Brett, Robin, *Kinetics of exsolution in two sulfide systems,* 1423
Clarke, Otis M., Jr., *Formation of bauxits on Karst topography,* 1417
Craig, James R., *System* Ag-Bi-S, 1423
Donovan, J. F., *Geology of the Woman River iron formation,* 1418
Fournier, R. W., *The effects of supersaturated silica solutions during the hydrothermal alteration of feldspars,* 1421
Gross, W. H., and Sijpkens, J. D., *On the origin of lead deposits,* 1415
Jensen, M. L., and Dechow, E., *The bearing of sulfur isotopes on the origin of Southern African ore deposits,* 1419
Society of Economic Geologists—*Continued*
Kullerud, G., and Yoder, H. S., Jr., *Sulfide-silicate reactions,* 1421
Nel, H. J., and Luyt, J. F. M., *Vanadium-rich magnetite seams of the Bushveld igneous complex, South Africa,* 1416
Park, Frederick B., *Lateral migration of 20 million tons of magnetite ore, Marmora, Ontario,* 1416
Presant, E. W., and Tupper, W. M., and Boyle, R. W., *A geochemical study of soil profiles from the Bathurst, N. B. Area,* 1420
Roseboom, Eugene H., Jr., *Reactions in some synthetic and natural copper sulfides between 25° and 200° C,* 1425
Sato, Motoari, and Christ, C. L., *Electrode properties of semiconductive binary sulfides and their possible geologic application,* 1422
Schoen, Robert, *Origin of ironstones in Clinton Group,* 1417
Skinner, Brian J., *The system Cu-Ag-S,* 1425
Wedepohl, K. H., *"Kupferschiefer" and the problem of syngenetic ore deposition,* 1419
Whitten, E. H. Timothy, *The "best" mathematical model for mapped variables: gold variability at Virginia Mines, South Africa,* 1418
Wright, Harold D., Barnard, Walther M., and Halbig, Joseph B., *Solid solution in the system ZnS-ZnSe and PbS at 300° C and above,* 1424
Yund, R. A., and Giletti, B. J., *Partition of zinc between pyrite and galena,* 1426
Soil anomalies, result of biochemical cycle, 832, 833
Soil profile, 826
Sokolov, V. A., book by, reviewed, 338
Solid diffusion, of uranium, 1010
Solid solution, 1244
between FeS_2-CoS_2-N : S_2, 475–491
Solubility of cinnabar in Na_2S solutions at 50–250° C and 1–1,800 bars, with geologic applications (Dickson), 625–635
Solubility of Cinnabar, Na_2S concentration effect on, 631
pressure effect on, 628, 629
temperature effect, 630
Solubility of gold under inorganic supergene conditions (Cloke and Kelly), 259–270
Sorby, H. C., on fluid inclusions, 896
Sorem, R. K., on microscope and X-ray diffraction study of ore, Philipsburg, Montana, 55
Sorem, R. K., and Cameron, E. N., on Nsuta deposits, Ghana, 65, 76
on Nsuta MnO_2 replacing pyrolusite, 71
Sorensen, A. H., paper by, discussed, 930–935
Soridağ chromium deposits, Turkey, 1518

South Dakota, Homestake deposits of, and similarities between some Canadian gold deposits (communication), 719–720
Special breccias associated with hydrothermal developments in the Andes (Kents), 1551–1563
Spectrochemical analysis, 241–242
Spectrographic analysis, 458
Spectrographic procedure, internal standard, trace element determinations in soils and stream sediments by (Cruft), 458–464
Sphalerite, Timberville, Va., 449, 605, 697, 619
  Providencia ore bodies, 890
  two generations, Zawar mine, 664, 668, 670, 671
Spheroidal textures, 1263
Spinels, chromium-bearing, 1499
Spodumene, 982, 987, 992, 996
Spodumene-bearing dikes, 993
Spor-Topaz district, 771, 772, 773
Springer, G., and Long, J. V. P., on electron-probe analyses of Bravoite, 476
Springer, G., Schachner-Korn, D., and Long, J. V. P., *Metastable solid solution relations in the system FeS_2-CoS_2-NiS_2*, 475–491
Spurr, J. E., on mineral content of metalliferous deposits changing progressively with depth from surface, 1457
Square foot stratigraphic area, SiO_2 present per, 715, 716
S^{32}/S^{34} ratio measurements, 908
Staatz, M. H., and Griffitts, W. R., on beryllium in tuffs in Spor-Topaz district, 772
Stability diagrams, iron compounds at temperatures 827°, 627°, and 427° C, 26, 27, 29
  tin compounds at 627°, 827° C, 30
Stach, E., on graphite spherulites, 927
Staining technique, carbonates, 1317
Stalactites, zinc sulfide, 453
Stalactitic marcasite, 1295
Standard deviation, 643
Stanley, Alan, *Relation of copper to rock types in an area of known economic mineralization*, 1492–1496
Stanton, R. E., *Dithizone field tests* (discussion), 1178
  The field determination of arsenic in soils and sediments (communication), 1599–1602
Stanton, R. E., and Gilbert, M. A., on procedure for determination of "total" copper, 1597
Stanton, R. L., on silica-carbonate bodies, Mount Isa, 424
  on syngenetic/diagenetic origin of deposits, Mount Isa, Queensland, 3
State circle shale, 648
Steamboat Springs, Nevada, 565
Steatitization, 804, 819
Steel galena, 665
Steep Rock, Ontario, 1043
Stevens, R. E., on terminology, chromite, 1501
Stevenson, John S., and Jeffery, W. G., *Colloform magnetite in a contact metasomatic iron deposit, Vancouver Island, British Columbia*, 1298–1305
Stewart, J. H., et al., on conglomerate at base of Moenkopi, 855
  on Shinarump member of Chinle, 856
Stewart, L. A., and Pfister, A. J., on late veins of black manganiferous calcite, 1450
  on veins of barite, Arizona, 1460
Stillman, C. J., Snelling, N. J., Hamilton, E. I., and Drysdall, A. R., *A review of age determinations from Northern Rhodesia*, 961–1002
Stilpnomelane, 1336
Stockton-Ophir, 1585
Stockwell, C. H., on classification of Precambrian rocks of the Canadian Shield, 1043
Stoichiometric disulfide, 478
Stoichiometric formulae of chalcopyrite and bornite, 750
Stoichiometric solution, 553
Stoll, W. C., on magmatic reaction between olivine gabbro dikes and chromite, Masinloc deposit, 1515
  Metallogenetic belts, centers, and epochs in Argentina and Chile, 126–135
Stone, John G., and Cumberlidge, John T., *The Vulcan iron formation at the Groveland mine, Iron Mountain, Michigan*, 1094–1106
Strain circles, 1080, 1086
Stratiform deposits, chromite, 1498
Stratigraphic zoning, Helen Iron Range, 694, 700
Stratigraphy and mineralogy of the manganese sedimentary deposits of Coquimbo Province, Chile (Aguirre and Mehech), 428–442
Stromatolites and other algal structures at Mufulira, Northern Rhodesia (Malan), 397–415
Stromatolites with associated reef structures, 401, 402, 403
Strontium, 615, 973
  barite, 614
  radiogenic, 970
  sulfate, 607, 614
  by x-ray fluorescence, 682
Srirama Rao, M., on the hydrothermal origin of chromite, 678
Strakhov, N. M., book by, reviewed, 947
Structures in chromite-bearing serpentinites, Hindubagh, Zhob Valley, West Pakistan (Shams), 1343–1347
Studies on fire clays of Bansi, Southwestern Mirzapur, Uttar Pradesh (Mohan and Prakash), 1140–1152

Suckow, R., and Schwarz, W., on metals killing other organisms in sulfate-reducing zone, 1489
Sudovikov, N. G., book by, reviewed, 1608
Suess, F. E., on juvenile water and vadose, 875
Sugaki, A., on annealed solid solutions of chalcopyrite in bornite, 1247
on exsolution of chalcopyrite and bornite, 1242
Sugaki, A., and Yamae, N., on solid solutions of chalcopyrite in sphalerite, 1243
Sulfate-reducing culture, 648, 654
organism, aqueous environment, 1476
zone, 653
Sulfate-reduction, 1477
Sulfide ores, syngenesis of: desorption of adsorbed metal ions and their precipitation as sulfides (Temple and Le Roux), 647–655
Sulfide ion hydrolysis, 631
Sulfosalts, Providencia ore bodies, 892
Sulfur isotope results, Providencia ore, 908
Sulfur activity, 670
Sulfur, average content, of siderite pyrite member, Helen iron formation, 710
Sulfur contours, related to volcanic trends, 715
Sulphur Well, Kentucky, 600, 601, 604
Summitville, Colorado, 545
Supercritical water, 23
Supergene iron ores of Minas Gerais, Brazil (Dorr), 1203–1240
Supergene process, 556
"Superposed folding," 1061
Surface barrier detector, 588
Sweetwater Arch, 839, 840
Syngenesis of sulfide ores: an evaluation of biochemical aspects (Temple), 1473–1491
Syngenesis of sulfide ores: desorption of adsorbed metal ions and their precipitation as sulfides (Temple and Le Roux), 647–655
Syngnesis of sulfide ores: sulfate-reducing bacteria and copper toxicity (Temple and Le Roux), 271–278
Syngenetic origin, Northern Rhodesia copperbelt, 426
Syromyatnikov, N. G., on the reaction between the uranium in the liquid phase and the soluble part of the uranium in the solid phase, 583
on a sand with high U^{234}/U^{235} ratio is the result of interphase isotopic exchange, 593
Swarup, P., and Singh, J. N., on flint clays, 1151

Table
alpha particle energies of thorium isotopes, 587
analytical lines used, spectrographic analysis, 462
Table—*Continued*
analytical, selected Tuff samples from Honey Comb Hills, 771
animas ore body—temperature data (quartz), 902
annual climatic averages in southwestern Oregon and northwestern California, 358
areas in world believed favorable for occurrence of beryllium deposits of Lost River type, 924
arsenic values, comparison of, 1601
ASTM Data Card, bastnaesite, 1359
ASTM Data Card, beta beryllium, 1357
atomic percent of metals and estimated temperature of crystallization of pyrrhotites, 138
average chemical composition of altered dacite intersections, 695
average chemical composition of altered rhyolite intersections, 690
average chemical composition of selected portions of Helen iron formation, 690
Bansi fire clays, physical and chemical analyses, 1142, 1143, 1144
beryllium assay logs, Sheskinarone drill cores, 1545
black calcite, spectographic analyses of, 1448
canga and intermediate ore, Tutamea deposit, 1238
carbonate iron formation, variations in composition, 1036
Cerrillos area lithologic units, 1527
chemical analyses of cleaned concentrates of mineral chromite, 1500
chemical analyses of peridotite and overlying soil at Nickel Mountain, Oregon, 377
chemical analyses of rocks from the Raposos mine, 784
chemical analysis, ultramafic rock and overlying soil Oregon and Cuba compared, 388
chemical and lithological changes in silicate rocks affected by hydrothermal solutions, 545
chemical and quantitative spectrographic analyses of peridotite and overlying soil, Eight Dollar Mountain, Oregon, 372
chemical and spectrographic analyses of saxonite, southwest Oregon, 363
chemical composition of Helen siderite-pyrite intersections, 707
chemical composition of stromatolites and associated sedimentary rocks, 412
chemical data for Buena Vista apatite, 285
cobalt and copper content of leaves, 829
cobalt/zinc and copper/zinc ratios in ash of leaves, 830
cold extractable dithizone analysis, 495

Table—*Continued*
cold extractable dithizone or biquinoline analysis, 495
comparative analyses for citrate-soluble heavy metals, 722
comparison of the cobalt and copper contents of different horizons, 833
comparison of cobalt and copper content of leaves and twigs, 830, 831
composition of residual soil in terms of weight percent, Eight Dollar Mountain, Oregon, 378
composition of samples from Onverwacht platinum mine, 220
composition of tube contents and amount of metal precipitated in the agar, 649
copper and zinc analysis of silicate rocks from Western and Mid-western U.S.A., 255
data from freezing work and the solution of NaCl daughter minerals during heating runs, 908
enargite, oxidation of, copper, arsenic, and iron formed during, 1310
epithermal deposits, depth of ore zones below original surfaces, 1458
epithermal gold-silver deposits, essential minerals and ages, 1464, 1465
equilibria between dissolved gold species, 260
estimated temperatures of formation of sphalerites, 669
exsolution, sequence of, 1248
Fe content of massive sphalerite, 912
Fe, total, of magnetite and hematite iron formations from Minnesota and Quebec, 1035
Felch district, geologic succession in, 1096
generalized stratigraphic column for North-Central Kentucky, 601
hypogene manganese oxides, spectographic analyses of, 1444, 1456
inference tests for copper and zinc, 250
iron formations, carbonaceous material reported in, Lake Superior, 1339
iron formation samples, analyses of, 1030, 1031, 1038, 1043
itabirite, composition of, 1223
itabirite, variation of grain size, 1231
joins, bornite-digenite, bornite-chalcocite, 1250–1252
mafic rock, chemical composition, 104
manganese minerals, hypogene veins, X-ray analyses, 1440
material balance of uranium isotopes in size fractions of altered and unaltered sandstone, 581
mineralogy of the fluorite-copper deposits, Gallinas Mountains, New Mexico, 231
minor element content in Buena Vista and other iron ores, 287
model ages, common lead, 976
monochromator parameters, P.E. Model 214, atomic absorption spectrophotometer no. 016, 244
Niggli valves and measured modes of saxonites, southwestern Oregon, 364
North Tintic district, chemical characteristics of hydrothermal dolomite and limestone, 1570
numerical data, Harold D. Roberts tunnel, 473
paragenesis of the central Kentucky mineral district, 611
paragenesis of manganese oxide minerals, 1452
partial chemical analyses of chromite, 823
pegmatites, mineralogy of, 992
potassium-argon ages from Northern Rhodesia, 968
p.p.m. copper or copper equivalent, 496
Precambrian of Canadian Shield, major division of, 1042
precision and accuracy of atomic absorption and other analytical techniques, 253
precision of copper and zinc analysis by atomic absorption, 252
proportions of minerals in peridotite and in the sand fraction of lateritic soil, Eight Dollar Mountain, Oregon, 369
radioactive disequilibrium analyses, Shirley Basin roll feature, 590, 591
reflectivity values, comparison of, 1156, 1157
replicate uranium determinations, 1015
results of calibration study, Leitz 350 heating stage, 898
reversed electrum-tarnish intervals, 749
salaverna ore body—temperature data (quartz and calcite I), 904
sedimentary rocks exposed in the northern part of the Corocoro Basin, 113
selected bastnaesite occurrences, 236–237
Siberian Kimberlites, age data on, 1374
silver in galena, experimental run data, 1012
soil and drainage surveys of central Chile, 637
soils overlying ultramafic rocks, chemical composition, 105
solubility of Cinnabar, 627
solubility of cesium in boiling water in selected tuffs, 772
species of trees sampled at Baluba, 828
specific gravity determinations at Helen iron range, 707
spectrographic parameters, 461
stratigraphic sequence of Providencia area, Mexico, 884
stratigraphic succession at Mufulira, Northern Rhodesia, 399
sulfur isotope results, 912
sulface sands, analyses of, Florida, 1112, 1113, 1115, 1127

Table—*Continued*
thermodynamic data, FeS_2-CoS_2-NiS_2 system, 482
trace elements of chromites, 824
trace element quantities in pyrrhotites from various levels, 138
ultramafic rocks, chemical composition, 104
unleached itabirite, composition of, 1212
uranium in galena, experimental run data, 1015
uranium isotopic ratios, Shirley Basin roll feature, 578, 579, 580
uranium-lead age determinations, 965
weight percent change in chemical composition of altered volcanic zones, 700
X-ray powder data for farnierite, 385
X-ray powder data for sepiolite, 386
zinc west ore body—temperature data (quartz and calcite I), 903
Taconite, 1026
Takai, F., Matsumoto, R., and Toriyama, R., book edited by, reviewed, 1190
Talamantes district, Mexico, 1439, 1468
Talbot Lake fault zone, 687
Tantalite, 988, 997
Tarnish curves, 748
Tatsumoto, M., Dooley, J. R., and Rosholt, J. N., *Radioactive disequilibrium studies of roll features, Shirley Basin, Wyoming*, 586–595
Taupitz, K. C., on lead-zinc deposits, Southern Alps, 3
Taylor, J., on beryl at Beinn a'Bhuird (personnal communication), 1550
Technique
arsenic, field determination of, 1600
biquinoline method to determine readily extractable copper, 1493
electrum tarnish method, 747–752
hydrothermal synthesis of galena, 1006
preparation of adsorbed metal ions, 648
preparation of samples for spectrographic analysis, 459, 460, 461
preparation of uranium sample ("uranium cow") Fe electroplate thorium isotope, 589
test for cold extractable cobalt, 1363
Temperature coefficients, 630
Temperature studies, fluid inclusions, 898
Temperature of formation, Zawar mine, 668
Temple, K. L., and Le Roux, N., on reduction of sulfate in stationary cultures, 1478
syngenesis of sulfide ores: sulfate-reducing bacteria and copper toxicity, 271–278
Teno River, 638
Temple, A. K., and Grogan, R. M., *Manto deposits of fluorspar, northern Coahuila, Mexico* (discussion), 936–937
Temple, Kenneth L., *Syngenesis of sulfide ores: an evaluation of biochemical aspects*, 1473–1491
Tennant, C. B., and White, M. L., on cumulative distribution of metals to distinguish background and anomalous distributions in geochemical dispersion studies, 636
Tethys sea, 1162
Thermodynamic calculations, solubility of gold, 261
Thermodynamic laws—the use of for the explanation of mineral zoning (discussion), 158–159
Thermoluminescence, of drill core specimens, 326
Textural relations, primary, 1336
Thayer, T. P., *Principal features and origin of podiform chromite deposits, and some observations on the Guleman-Soridağ district, Turkey*, 1497–1524
on titanium deposits, Pluma Hidalgo area, Mexico, 756
Thode, H. G., et al., on maximum age of biological sulfate-reduction, 1482
Thomas, Herbert, on manganese layers of Fragua mine (oral communication), 440
on Purchue Member of the Veta Negra Formation, 1286
Thompson, J. B., on equilibrium relations, 557
on oxidation state of a rock as established during sedimentation, 1103
Thorianite, 1358
Thorium-230, 571, 586, 587, 589, 591, 593
Thorogummite, 1358
Three-dimensional projection of geologic features, 466
Throttling, 565
Tikhomirov, V. V., book by, reviewed, 948
Tin-tantalum-lithium pegmatites of the São João del Rei District, Minas Gerais, Brazil (Heinrich), 982–1002
Titanium, black sands, 296
minerals, 753, 766
tetrachloride, 755
Todorokite, manganese ore, 67
Tolbert, G. E., *Geology of the Raposos Gold Mine, Minas Gerais, Brazil*, 775–798
Tolman, C. F., on broad regional zoning in the Sierra Nevada batholith, 535
on mineralization as an after effect of the intrusion of the batholith, 535
Tolun, Necip, on tectonics of southeastern Anatolia, 1171
Tooms, J. S., and Jay, J. R., *The role of the biochemical cycle in the development of copper/cobalt anomalies in the freely drained soils of the Northern Rhodesian Copperbelt*, 826–834
Toquepala, Peru, ore breccia, 1557
Toulmin, P., 3rd, and Barton, P. B., Jr., *Experimental determination of the reaction chalcopyrite + sulfur = pyrite + bornite from 350–500° C.*, 747–752

Toulmin—*Continued*
on stoichiometric FeS along bornite + pyrite + chalcopyrite curve, 751
Tourmaline breccia pipes, 1560
Trace element analysis—copper and zinc in silicate rocks, 240–258
Trace element determinations in soils and stream sediments by an internal standard spectrographic procedure (Cruft), 458–464
Trail Ridge, 1132
Trask, P. D., on content of organic matter related to grain size of sediments, 1339
Trauffer, Walter E., on operations at one of the largest silica mines, 1110
Trigonia coihuicoensis, 433
Tri-state district, Missouri, Kansas, Oklahoma, mineral paragenesis in the (Hagni and Grawe), 449–457
True Fissure mine, Montana, 58
Tuffs, 770
Tungsten deposits, California, 535
Turkey, exploration for phosphorite in—a case history (Sheldon), 1159–1175
Guleman-Soridağ district, 1518
principal features and origin of podiform chromite deposits, and some observations on the Guleman-Soridağ district (Thayer), 1497–1524
Turner, F. J., and Weiss, L. E., on "kinematically active" and "kinematically passive," 1063
on cross folds, 1062
Tutamea deposit, 1237
Two drill hole problem, 149–150
Tyler, S. A., on development of iron silicates in both the carbonate and chert beds, 1336
on itabirite, a chemical sediment, 1211
Tyler, S. A., and Barghoorn, E. S., on fossiliferous material from Gunflint iron formation, 1053
on magnetite grains in granular ferruginous chert from the Ironwood Iron Formation of Michigan, 1052
on pyrite and organic matter in basal Gunflint Iron Formation of Ontario, 1053

Ulrich, G. H. F., on discovery of native nickel-iron alloy, 443
Ultrabasics, 803
silicified, 808
Ultramific rocks, Klamath Mountains, 360
United States, mineral production, 1270
podiform chromite deposits, 1502
Upwelling oceanic suite of rocks, phosphorite, 1164
Mediterranean Province, 1164
Uraninite, 840, 841, 868, 1004
Uranium, 570, 571, 582
U^{234}, 580, 582, 583, 850, 873
anomaly, large low intensity areas enclosing ore deposits, 317
Uranium—*Continued*
deposit, Kitwe Gap, 425
exploration, radioelement dispersion in a sedimentary environment and its effect on (Moxham), 309–321
isotope ratios, 590, 592
isotopic fractionation of, related to roll features in sandstone, Shirley Basin, Wyoming, 570
mineralization, 422
ore-rolls—the conceptual uranium ore roll and its significance in uranium exploration, 46
solution, origin of, 848
Uranium-bearing fluid, description, 846
"Uranium cow," 589
Uranium-lead age determinations, 971
Utah-Arizona, distribution of uranium deposits in the White Canyon-Mounment Valley District (Young), 850–873
Utah, Juab County, Honey Comb Hills, Rare alkali and beryllium mineralization in volcanic tuffs (McAnulty and Levinson), 768–774
North Tintic district, fringe zone alteration in carbonate rocks (Proctor), 1564–1587
Uttar Pradesh, Southwestern Mirzapur, studies on fire clays of Bansi (Mohan and Prakash), 1140–1152

Vachtl, J., on geology and tectonics of Bohemian Massif, 875
Vacuoles, 928
Vähatälo, V. O., on Outokumpu ore body, 1589
The validity of geologic projection: A case history (Wahlstrom), 465–474
Vallentyne, J. R., and Swabey, Y. S., on microspheres suggestive of microspherular pyrite observed in present sediment, 1487
Valley View mine, Arizona, 1447
Vanadium, 463, 824, 840, 867, 868
Vanadium-bearing titaniferous magnetite ore, 804
Vancouver Island, colloform magnetite, 1298
van der Veen, A. H., on microlite from three pegmatite deposits, 992
on São João del Rei deposits, 1001
Van Dorn mine, California, 1453
Van Hise, C. R., and Leith, C. K., on iron formations and iron ores of the Lake Superior region, 1027
on jasper, 1102
on Marquette range, 1102
on silica content of unaltered ferruginous cherts, 1316
Van Hook, H. J., on solid solution of Ag_2S in galena, 1007
on X-ray diffractometer to determine the solubility of Ag_2S in galena, 1012
Van Morkhoven, book by, reviewed, 346

Van Straaten, I. M. J. U., book edited by, reviewed, 1611
Varentsov, I. M., book by, reviewed, 1610
Variance, formula for, 645
Variscian platform, 874–882
Varma, O. P., *Chromite deposits of the Keonjhar District, Orissa* (India), 799–825
Veins of hypogene manganese oxide minerals in the southwestern United States (Hewett), 1429–1472
Venezuela, itabirite, 1237
Verlag, Enke, book by, reviewed, 186–187
Vermilion district, Minnesota, 1043
Vernon, R. O., on Ocala arch, 1117
Vickers vein, 618
Vinogradov, A. P., on maximum age of biological sulfate-reduction, 1482
Virginia, titanium deposit in Nelson County, 757
Vlasov, K. A., book edited by, reviewed, 1186
Volta Grande mine, Brasil, 987, 989
Volatile metal comopunds in ore Genesis, the possible role of (Krauskodf), 22–45
Volatile transfer, 672
Volatility diagrams, of metal compounds variation with HCl fugacity, 32, 34, 35
Volatility versus solubility, of metal compounds in ore fluids, 24
Volcanic solutions, gas-charged, 712
Volta Grande, 984
von Buzagh, A., degree of dispersion of a colloid, 1021
Vourinon massif, chromite deposits, 1514
Vrba, J., *Origin and occurrence of carbon dioxide and gaseous mineral waters, Variscian Platform, Central Europe*, 874–882
The vulcan iron formation at the Groveland mine, Iron Mountain, Michigan (Cumberlidge and Stone), 1094–1106

Wagner, P. A., on post-Precambrian iron formations, 1056
Wahlstrom, E. E., *The validity of geologic projection: A case history*, 465–474
Walbank Lake faults, 687, 695
Wallace, R. M., on no carbonate in itabirite (written communication), 1216
Walper, J. L., Ehlmann, A. J., and Williams, J., *A new, hill-type, rare-earth pegmatite from the central mineral region, Texas*, 1348–1360
Wanless Hill, 1580
Ward, H. J., on Peruvian center, 1062
Ward, F. N., Lakin, H. W., Canny, F. C., and others, on regular geochemical laboratory equipment, 1362
Wargo, Joseph G., *Geology of a disseminated copper deposit near Cerrillos, New Mexico*, 1525–1538
Warren, H. V., and Delavault, R. E., on laboratory technique using biquinoline to determine readily extractable copper content of rocks, 1492
Warren, Harry V., Delavault, Robert E., and Barakso, John, *The role of arsenic as a pathfinder in biogeochemical prospecting* (communication), 1381–1385
Weathering, depth of in Minas Gerais, 987
of pegmatites, 987
Weedia, algal bedding, 406
Wehrlite, 209
Weir sand, 599
Wells, F. G., on podiform as a noncommittal term, 1498
Wells, F. G., Smith, C. T., et al., on parallel-type chromite deposits, northern California, 1513
Werner, A. G., on orderly succession of strata found in Thuringian basin, Germany, 1
West Hickman fault zone, 604, 607
Wetherill, G. W., on estimate of age of specimens, 967
on graphical procedure, 967
White Canyon-Mounment Valley, 850–873
White, D. A., on circulation barrier in origin of Precambrian iron formations, 1050
on origin of chert, 1029
on pyrite with graphite in "black slaty taconite," 1041
White, D. E., and Waring, G. A., on volcanic-gas analyses, 29
White, G. H., on Kupferschiefer-Marl Slate, 9
White, W. S., and Wright, J. C., on White Pine copper deposit, Nonesuch shale of Keweenawan, Michigan, 2
White, D. E., on near-surface alteration, 544
on relationship of hot springs to epithermal mineral deposits, 634
on secondary K-feldspar high in potash, adularia, 1453
on volatile components of hydrothermal solutions, 564, 565
White River formation, 572
White, William A., on association of major rivers with old shore lines, 1133
White, W. S., and Wright, J. C., on epigenetic and syngenetic origins, Corocoro mine, 123
Whitten, E. H. T., on cross folding, 1062
Widmanstätten textures, 1265
Wijkerslooth de, P., on deposits near Guleman, Turkey, 1518
William Davis mine, 612
Williams, H., on Mounment Valley plugs, 853
Williams, J., Ehlmann, A. J., and Walper, J. L., *A new hill-type, rare-earth pegmatite from the central mineral region, Texas*, 1348–1360

Williams Range fault, 467, 470
Wilson, A. F., Compston, W., and Jeffery, P. M., on age determinations, Western Australia, 1045
Wind River formation, 571, 572, 574, 594, 835–849
Wisser, Edward, book reviewed by, 725
on mechanics of faults formed by tensional uplift, 604
on North American Cordillera, 134
Witherite and celestite, 614
Witkind, I. J., on age of Abajo intrusives, 853
Witkind, I. J., and Thaden, R. E., on uranium ore pods called "rods," 868
Wolff, J. F., on iron formations of the Mesabi district, 1037
Woolnough, W. G., on Precambrian iron formations, 1050
Worthington, Joseph E., *An exploration program for nickel in the southeastern United States*, 97–109
Wright, Harold D., and Hutta, Joseph J., *The incorporation of uranium and silver by hydrothermally synthesized galena*, 1003–1024
Wurtzite, 454
Wyckoff, R. W. G., book by, reviewed, 348

Xerolivadon mine, Greece, 1507
X-ray analysis, chromite, 680
diffraction, bravoite, 475
fine clay, 1145
fluorescence, strontium, 682

Yaquil, 638, 641, 642
Yakutia, kimberlite province, 1369
Yoder, H. S., Jr., on dissociation of water, 1337
on oxidation state of a rock as established during sedimentation, 1103
Yoho, W. H., Pirkle, E. C., and Allen, A. T., *Origin of the silica sand deposits of the Lake Wales ridge area of Florida*, 1107–1139
Yoder, H. S., and Tilley, C. E., on the differentiation of granitic rocks from basaltic magma at depth, 531
Young, R. G., *Distribution of uranium deposits in the White Canyon-Monument Valley District, Utah-Arizona*, 850–873
Ytterbium, 613, 621
Yttrium, 613, 621, 1355, 1357
Yund, R. A., and Kullerud, G., on pyrrhotite + bornite field, 751

Zachos, K., on zonal podiform chromite deposits, Vourinon Complex, 1502
Zambales Complex, chromite deposits, 1502
Zawar, 657
Zawar lead-zinc mine, Rajasthan, India, the geology of (Mookherjee), 656–677
Zengin, Y., on "nine mineralization horizons," Soridağ, 1518
Zeschke, G., paper by, discussed, 326–327
Zherdeva, A. N., and Abulevich, V. K., book by, reviewed, 1610
Zinc, 828, 884
Zinc West ore body, temperature studies, 902
Zonal relations, epithermal deposits, 1466
fluorite and manganese oxide, 1467
Zoning, central Kentucky district, 615
Zwaritzky, A., on reducing agents in unaltered dunite, 447

ECONOMIC GEOLOGY

AND THE

BULLETIN OF THE SOCIETY OF ECONOMIC GEOLOGISTS

EDITOR: ALAN MARA BATEMAN
Yale University, New Haven, Connecticut

ASSOCIATE EDITORS

M. LEROY JENSEN, *Yale University*
CHARLES MEYER, *Univ. of California, Berkeley*

BUSINESS EDITOR: MORRIS M. LEIGHTON
Illinois Geological Survey, Urbana, Illinois

ASSISTANT EDITORS

JOE W. PEOPLES, *Wesleyan University*
J. D. BATEMAN, *Toronto, Ont.*
R. H. JAHNS, *Pennsylvania State University*
FRANK M. VOKES, *Oslo, Norway*

BOARD OF ASSOCIATE EDITORS

D. F. HEWETT
U. S. Geological Survey, Menlo Park, Calif.

A. I. LEVORSEN
Tulsa, Okla.

ARTHUR A. BRANT
Danbury, Connecticut

A. N. SAYRE
Washington, D. C.

L. C. GRATON
New Haven, Connecticut

H. C. GUNNING
Vancouver, Canada

GEORGE W. MOREY
U. S. Geological Survey, Washington, D. C.

N. H. FISHER
Bureau of Mineral Resources, Canberra, Australia

PER GEIJER
Djursholm, Sweden

P. F. FOURMARIER
Liège University, Liège, Belgium

M. S. KRISHNAN
Osmania University, Hyderabad, India

T. W. GEVERS
University of the Witwatersrand, Johannesburg, S. Africa

C. F. DAVIDSON
St. Andrews University, Fife, Scotland

J. A. BROGGI
Instituto Geologica, Lima, Peru

TAKEO WATANABE
University of Tokyo, Tokyo, Japan

KONRAD B. KRAUSKOPF
Stanford University, California

PAUL RAMDOHR
University of Heidelberg, Heidelberg, Germany

VOLUME 59

NEW HAVEN, CONNECTICUT

THE ECONOMIC GEOLOGY PUBLISHING COMPANY

1964

SOCIETY OF ECONOMIC GEOLOGISTS

THE PUBLICATIONS OF WHICH CONSTITUTE
A PART OF THIS JOURNAL

OFFICERS FOR 1964

HAROLD M. BANNERMAN, *President*
CHARLES H. BEHRE, JR., *Vice President*
HENRY C. GUNNING, *President-Elect*
ELBURT F. OSBORN, *Vice President-Elect*
EUGENE N. CAMERON, *Secretary*, Science Hall, University of Wisconsin, Madison, Wisconsin 53706
ROBERT M. GROGAN, *Treasurer*, Development Dept., Dupont Bldg., Wilmington, Delaware 19899

Councilors

1964	*1965*	*1966*
HAROLD L. JAMES	WESTON BOURRET	JOHN H. MOSES
JAMES P. POLLOCK	CARL FRIES, JR.	WALTER S. WHITE
GEORGES ORDOÑEZ	FREDRICK C. KRUGER	H. D. BRUCE WILSON

HENRY C. GUNNING, *President-Elect* CHARLES F. PARK, JR., *Past President*
ELBURT F. OSBORN, *Vice President-Elect*

Regional Vice Presidents

WILLIAM G. GARLICK, Africa.....GABOR DESSAU, Europe
MIHIR K. ROY CHOWDHURY, Asia.....ARTURO R. GEYNE, North America
LYNDON C. NOAKES, Australia.....CARLOS F. RUIZ, South America

Executive Committee

HAROLD M. BANNERMAN, *Chairman* HENRY C. GUNNING ROBERT M. GROGAN
CHARLES H. BEHRE, JR. CHARLES F. PARK, JR. EUGENE N. CAMERON

Standing Committees for 1963–64

Finance Committee

ROBERT M. GROGAN, *Chairman* GEORGE E. KRUGER LYMAN H. HART
THOMAS B. NOLAN

Program Committee

DELOS E. FLINT, *Chairman* ROBERT B. FULTON III PAUL K. SIMS

Committee on Publications

ERNEST L. OHLE, *Chairman* PAUL B. BARTON RICHARD H. JAHNS

Nominating Committee

JAMES P. POLLOCK, *Chairman* DUNCAN R. DERRY FRANK G. SNYDER

Admissions Committee

PHILIP W. GUILD, *Chairman* JORMA O. KALLIOKOSKI ROBERT H. CARPENTER
WESTON BOURRET ARTHUR E. BULLER

Program Policy Committee

CHARLES H. BEHRE, JR. HOLLIS G. PEACOCK ROBERT B. FULTON III
ROGER C. MCCONNEL, *Chairman* ELBURT F. OSBORN ALAN D. HOAGLAND
ALBERT E. WEISSENBORN DELOS E. FLINT EUGENE N. CAMERON

Auditing Committee

A. NELSON SAYRE THOR KIILSGAARD

Delegates to American Geological Institute

FRANK G. SNYDER WALTER S. WHITE

Research Committee

VINCENT E. MCKELVEY, *Chairman* GEORGE C. KENNEDY WILLIAM H. SWAYNE
H. D. BRUCE WILSON GUNNAR KULLERUD DONALD L. EVERHART
JOHN D. RIDGE ROBERT H. STEBBINS HOMER F. ZURBRIGG

CONTENTS OF VOLUME 59

Number 1

Neptunist Concepts in Ore Genesis.....*K. C. Dunham* 1
The Possible Role of Volatile Metal Compounds in Ore Genesis...*K. B. Krauskopf* 22
The Conceptual Uranium Ore Roll and Its Significance in Uranium Exploration
H. H. Adler 46
Geology and Mineralogy of Certain Manganese Oxide Deposits.....*L. T. Larson* 54
The Distribution of Beryllium in the Oslo Region—Norway—A Geochemical, Stream Sedimentary Study.....*J. W. Brinck and Albert Hofmann* 79
An Exploration Program for Nickel in the Southeastern United States
J. E. Worthington 97
The Copper Mineralization in the Corocoro Basin, Bolivia
Pontus Ljunggren and H. C. Meyer 110
Metallogenetic Belts, Centers, and Epochs in Argentina and Chile.....*W. C. Stoll* 126
Geothermometric Measurements of Sulfide Minerals, Mosabhoni Copper Mine, Singbhum District, Bihar.....*K. Kameswara Rao* 136
Rapid Determination of Molybdenum in Geochemical Samples Using Dithiol
N. J. Marshall 142

Scientific Communications:
A Simple Solution of the Two Drillhole Problem Giving One Answer
George Addie 149
The Binary System PbS-PbSe.....*D. R. Simpson* 150

Discussions:
Manganese Ores, Andhra Pradesh, India.....*Supriya Roy* 154
The Use of Thermodynamic Laws for the Explanation of Mineral Zoning—A Reply.....*H. L. Barnes* 158
Vein-Wall Rock Relationships, White Pine Mine.....*J. R. Rand* 160
New Data on the Chemistry of Submerged Soils: Possible Relationship to Bauxite Genesis.....*R. B. Cate, Jr.* 161
Hydrothermal versus Syngenetic Theories of Ore Deposition.....*R. H. Sales* 162

Reviews:
Uranium in Ancient Conglomerates: A Review.....*C. F. Davidson* 168
Geology and Mineral Deposits of the Pachuca-Real del Monte District, Hidalgo, Mexico.....*O. N. Rove* 177
Geology of Ore Deposits, Vol. 5, No. 2.....*E. A. Alexandrov* 180
Geologisches Worterbuch, 5th Edit..... 186
Canadian Geotechnical Journal, Vol. I, No. 1..... 187
Submarine Geology, 2nd Edit. (F. P. Shepard)..... 187
Mines Register, Vol. 26..... 188
Books Received.....*E. J. Dasch, Roger Hart, and C. D. Masters* 188

Memorials: Joseph T. Singewald—William Embry Wrather..... 195

Scientific Notes and News..... 196

Number 2

Origin of Certain Magnetite-Bearing Pegmatites in the Eastern Part of the Bushveld Complex, South Africa.....*E. N. Cameron and G. A. Desborough* 197
Fluorite-Bastnaesite Deposits of the Gallinas Mountains, New Mexico and Bastnaesite Paragenesis.....*R. M. Perhac and E. Wm. Heinrich* 226
Atomic Absorption Spectrophotometry and the Analysis of Silicate Rocks for Copper and Zinc.....*C. B. Belt, Jr.* 240
Solubility of Gold Under Inorganic Supergene Conditions *P. L. Cloke and W. C. Kelly* 259
Syngenesis of Sulfide Ores: Sulfate-Reducing Bacteria and Copper Toxicity *K. L. Temple and N. W. LeRoux* 271
Geology and Mineralogy of the Buena Vista Iron Ores, Churchill County, Nevada *A. S. Radtke* 279
Mounting and Polishing Mineral Grains on a Microscopic Slide for Study With Reflected and Polarized Light.....*J. E. Sanders and J. H. Kravitz* 291
Barite Zoning in the Illinois-Kentucky Fluorspar District.....*E. A. Brecke* 299
A Possible Solution to the Paradox of the "Sedimentary" Bornite..*Edwin Gaucher* 303
Radioelement Dispersion in a Sedimentary Environment and Its Effect on Uranium Exploration.....*R. M. Moxham* 309

Scientific Communications:
Problems of Postmagmatic Ore Deposition.....*C. F. Park, Jr.* 322
Recent Trends in Coal Production in the U.S.S.R. and Communist China *Paul Averitt* 323

Discussions:
Silver-Gold Ratios in Some Witwatersrand Conglomerates.....*George Addie* 325
Thermal Glow Tests As A Guide to Ore Deposits.....*D. J. McDougall* 326
Yellowknife Gold-Quartz Deposits.....*G. W. McConnell* 328
The Iron Ores of Cerro Bolivar, Venezuela.....*N. C. Nandy and A. Dutt* 330
Facies and Types of Hydrothermal Alteration: A Reply.....*C. W. Burnham* 332

Reviews:
Short Reviews of New Russian Books.....*C. F. Davidson* 335
Geology of Ore Deposits, Vol. 5, No. 3.....*E. A. Alexandrov* 339
Post-Paleozoic Ostracoda, Vol. 2, Generic Descriptions (F. P. C. M. Van Morkhoven).....*A. L. McAlester, Jr.* 346
Symposium: Problems of Postmagmatic Ore Deposition with Special Reference to Ore Veins. Vol. I.....*Alan M. Bateman* 346
Geological Survey Research 1963. Short Papers in Geology and Hydrology... 347
Crystal Structures, 2nd Edit., Vol. I. (R. W. G. Wyckoff)..... 348
Books Received.....*E. Julius Dasch, Roger Hart, and Charles D. Masters* 348

Scientific Notes and News..... 354

Number 3

Nickeliferous Laterites in Southwestern Oregon and Northwestern California *P. E. Hotz* 355
Stromatolites and Other Algal Structures at Mufulira, Northern Rhodesia *S. P. Malan* 397
Association of Mineralization and Algal Reef Structures on Northern Rhodesian Copperbelt, Katanga, and Australia.....*W. G. Garlick* 416

Stratigraphy and Mineralogy of the Manganese Sedimentary Deposits of Coquimbo Province, Chile.....*Luis Aguirre and Sonia Mehech* 428
Native Nickel-Iron Alloy, Its Mode of Occurrence, Distribution, and Origin *J. S. R. Krishnarao* 443
Mineral Paragenesis in the Tri-State District Missouri, Kansas, Oklahoma *R. D. Hagni and O. R. Grawe* 449
Trace Element Determinations in Soils and Stream Sediments by an Internal Standard Spectrographic Procedure.....*E. F. Cruft* 458
The Validity of Geologic Projection: A Case History.....*E. E. Wahlstrom* 465
Metastable Solid Solution Relations in the System FeS_2-CoS_2-NiS_2 *G. Springer, D. Schachner-Korn, and J. V. P. Long* 475

Scientific Communications:
A Statistical Case Study in Geochemical Prospecting for Copper..*B. W. Brown* 492
Thermal Metamorphism of the Sulfide Minerals at Zawar Mines, Rajasthan, India.....*Asoke Mookherjee* 498

Discussions:
Distribution of Radioactivity in the Mosaboni Copper Mine, Bihar, India *Asoke Mookherjee* 501
Remarks on Quantitative Measurements of Reflectivity.....*Paul Ramdohr* 502
Manto Deposits of Fluorspar, Northern Coahuila, Mexico.....*E. A. Brecke* 509

Reviews:
Geology and Ore Deposits of the Itabira District, Minas Gerais, Brazil (Dorr and Barbarosa).....*H. M. Roberts* 511
Earth and Earth-Rock Dams (Sherard, Woodward, Gizienski, and Clevenger) 514
Climates of the Past—an Introduction to Paleoclimatology (Schwarzbach).... 514
Elements of Structural Geology (Hills)..... 515
Stratigraphy and Sedimentation, 2nd Edit. (Krumbein and Sloss)..... 515
Short Reviews of New Russian Books.....*C. F. Davidson* 516
Books Received.....*E. Julius Dasch, Roger Hart, and Charles D. Masters* 517

Society of Economic Geologists..... 523

Scientific Notes and News..... 525

Number 4

Is Geologic Field Work Obsolete?.....*C. F. Park, Jr.* 527
Chemical Aspects of Hydrothermal Alteration with Emphasis on Hydrogen Metasomatism.....*J. J. Hemley and W. R. Jones* 538
Isotopic Fractionation of Uranium Related to Roll Features in Sandstone, Shirley Basin, Wyoming *J. N. Rosholt, E. N. Harshman, W. R. Shields and E. L. Garner* 570
Radioactive Disequilibrium Studies of Roll Features, Shirley Basin, Wyoming *J. R. Dooley, Jr., M. Tatsumoto, and J. N. Rosholt* 586
Mineral Paragenesis and Zoning in the Central Kentucky Mineral District *J. L. Jolly and A. V. Heyl* 596
Solubility of Cinnabar in Na_2S Solutions at 50–250°C and 1–1,800 Bars, with Geologic Applications.....*F. W. Dickson* 625
Copper Distribution Patterns in Soils and Drainage in Central Chile..*Ann de Grys* 636
Syngenesis of Sulfide Ores: Desorption of Adsorbed Metal Ions and Their Precipitation as Sulfides.....*K. L. Temple and N. W. Le Roux* 647
The Geology of the Zawar Lead-Zinc Mine, Rajasthan, India....*Asoke Mookherjee* 656

Chromite from Kondapalle, Kristna District, Andhra Pradesh, India
J. S. R. Krishna Rao 678
Geochemical Studies at the Helen Iron Range.....*A. M. Goodwin* 684

Scientific Communications:
Notes on Similarities Between Some Canadian Gold Deposits and the Homestake Deposits of South Dakota.....*G. W. McConnell* 719

Discussions:
Solvent Effect of Hydroxylamine Hydrochloride in the Citrate-Soluble Heavy Metals Test.....*F. C. Canney and G. A. Nowlan* 721
Formation of Ore Deposits By Water of Compaction.....*R. E. Reynolds* 723

Reviews:
Geology and Mineral Deposits of the Pachuca-Real del Monte District, Hidalgo, Mexico.....*Edward Wisser* 725
Geology of Ore Deposits, Vol. 5, No. 4.....*E. A. Alexandrov* 732
Geochemistry of Solids. An Introduction (W. S. Fyfe).....*G. C. Amstutz* 737
Handbook of Subsurface Geology (C. A. Moore)..... 737
The Geology and Mineral Resources of Northern Rhodesia (W. H. Reeve).... 738
Books Received.....*E. Julius Dasch, Roger Hart, and Charles D. Masters* 738

Society of Economic Geologists..... 745

Scientific Notes and News..... 746

Number 5

Experimental Determination of the Reaction Chalcopyrite + Sulfur = Pyrite + Bornite from 350 to 500°C.....*P. B. Barton, Jr., and P. Toulmin, 3rd* 747
Mineralogy and Origin of the Titaniferous Deposit at Pluma Hidalgo, Oaxaca, Mexico.....*E. G. Paulson* 753
Rare Alkali and Beryllium Mineralization in Volcanic Tuffs, Honey Comb Hills, Juab County, Utah.....*W. N. McAnulty and A. A. Levinson* 768
Geology of the Raposos Gold Mine, Minas Gerais, Brazil.....*G. E. Tolbert* 775
Chromite Deposits of the Keonjhar District, Orissa, (India).....*O. P. Varma* 799
The Role of the Biochemical Cycle in the Development of Copper/Cobalt Anomalies in the Freely Drained Soils of the Northern Rhodesian Copperbelt
J. S. Tooms and J. R. Jay 826
Description and Origin of Uranium Deposits in Shirley Basin, Wyoming
R. E. Melin 835
Distribution of Uranium Deposits in the White Canyon-Monument Valley District, Utah-Arizona.....*R. G. Young* 850
Origin and Occurrence of Carbon Dioxide and Gaseous Mineral Waters, Variscian Platform, Central Europe.....*Jaroslav Vrba* 874
Lead-Zinc Ore Depostion in the Light of Fluid Inclusion Studies, Providencia Mine, Zacatecas, Mexico.....*F. J. Sawkins* 883

Scientific Communications:
Association of Beryllium with Tin Deposits Rich in Fluorite..*C. L. Sainsbury* 920
Petrological Characteristics of Barakar Coal, Metamorphosed by Lamprophyre Sill, in Jharia Coalfield, India.....*H. S. Pareek* 926

Discussions:
Remobilization of Sulfide Orebodies.....*A. W. Smith* 930
Manto Deposits of Fluorspar, Northern Coahuila, Mexico.....*L. G. Gutiérrez* 935

Manto Deposits of Fluorspar, Northern Coahuila, Mexico
A. K. Temple and R. M. Grogan 936
Hydration Energy—A Possible Contribution to Crustal Heat—A Comment
R. D. Schuiling 937
Sulfate-Reducing Bacteria and Copper Toxicity.....*C. F. Davidson* 938
Establishment and Activity of the Provisional Commission On the Genesis of Ore Deposits.....*Jan Kutina* 939

Reviews:
International Handbook of Coal Petrography, 2nd Edit.....*C. H. Cady* 942
Gisements Métallifères: Géologie et Principes de Recherche (P. Routhier)
K. B. Krauskopf 943
Short Reviews of New Russian Books.....*C. F. Davidson* 946
Studies in Analytical Geochemistry (D. M. Shaw, Editor)..... 949
Soviet Antarctic Expedition..... 950
Fluvial Processes in Geomorphology (L. B. Leopold, M. G. Wolman, and J. P. Miller)..... 950
Chromatography in Geology—Methods in Geochemistry and Geophysics (A. S. Ritchie)..... 950
Geological Survey Research 1963—Short Papers in Geology and Hydrology, Articles 122–172..... 951
Progress in Isotope Geology (K. Rankama)..... 951
Zur Entstehung der Marin—Sedimentären Eisenerze (H. Braun)..... 952
Books Received.....*E. Julius Dasch and Charles D. Masters* 952

Scientific Notes and News..... 959

Number 6

A Review of Age Determinations from Northern Rhodesia
N. J. Snelling, E. I. Hamilton, A. R. Drysdall and C. J. Stillman 961
Tin-Tantalum-Lithium Pegmatites of the São João Del Rei District, Minas Gerais, Brazil.....*E. Wm. Heinrich* 982
The Incorporation of Uranium and Silver by Hydrothermally Synthesized Galena
J. J. Hutta and H. D. Wright 1003
Origin of the Precambrian Iron Formations.....*Henry Lepp and S. S. Goldich* 1025
Cross Fold Deformation by Simple Shear.....*E. S. O'Driscoll* 1061
The Vulcan Iron Formation at the Groveland Mine, Iron Mountain, Michigan
J. T. Cumberlidge and J. G. Stone 1094
Origin of the Silica Sand Deposits of the Lake Wales Ridge Area of Florida
E. C. Pirkle, W. H. Yoho and A. T. Allen 1107
Studies on Fire Clays of Bansi, Southwestern Mirzapur, Uttar Pradesh
Krishna Mohan and Dharam Prakash 1140
Proposed Working Reflectivity Standards for Opaque Ore Minerals..*G. J. Jansen* 1153
Exploration for Phosphorite in Turkey—A Case History.....*R. P. Sheldon* 1159

Discussions:
Origin of Yellowknife Gold Deposits.....*R. W. Boyle* 1176
Dithizone Field Tests.....*R. E. Stanton* 1178
Some Vein-Wall Rock Relationships in the White Pine Mine—A Reply
R. H. Carpenter 1179

Reviews:
Geology of Ore Deposits (Vol. 5, No. 5).....*E. A. Alexandrov* 1181
Short Reviews of New Russian Books.....*C. F. Davidson* 1186

Geology (W. C. Putnam) 1189
Paleocurrents and Basin Analysis (Potter and Pettijohn) 1189
Geology of Japan (Takai, Matsumoto, and Toriyama, Editors) 1190
Books Received ..... *E. Julius Dasch and Charles D. Masters* 1190

Society of Economic Geologists 1193

Scientific Notes and News 1201

Number 7

Supergene Iron Ores of Minas Gerais, Brazil ..... *J. Van N. Dorr II* 1203
Experimental Data from the System Cu-Fe-S and Their Bearing on Exsolution Textures in Ores ..... *Robin Brett* 1241
Interruptions and Present Trends of Mineral Production ..... *Edward Sampson* 1270
Paleo-Channels at the Guayacan Copper Mine, Cabildo District, Aconcagua Province, Chile ..... *W. D. Carter and N. Aliste T.* 1283
A Possible Source of Solutions of the Illinois-Kentucky Fluorspar District *E. A. Brecke* 1293
Colloform Magnetite in a Contact Metasomatic Iron Deposit *J. S. Stevenson and W. G. Jeffery* 1298
Bacterial Oxidation of Arsenopyrite and Enargite ..... *H. L. Ehrlich* 1306
Development of Magnetite in Iron-Formations of the Lake Superior Region *G. LaBerge* 1313
Structure in Chromite-Bearing Serpentinites, Hindubagh, Zhob Valley, West Pakistan ..... *F. A. Shams* 1343
A New, Baringer Hill-Type, Rare-Earth Pegmatite from the Central Mineral Region, Texas ..... *A. J. Ehlmann, J. L. Walper, and J. Williams* 1348
Determination of Ammonium Citrate-Soluble Cobalt in Soils and Sediments *F. C. Canney and G. A. Nowlan* 1361
On Diamantiferous Diatremes ..... *C. F. Davidson* 1368

Scientific Communications:
The Role of Arsenic as a Pathfinder in Biogeochemical Prospecting *H. V. Warren, R. E. Delavault, and John Barakso* 1381
An Aid to Prospecting for Kimberlites ..... *J. B. Dawson* 1385
A Method of Calculating Reserves in Tabular Orebodies ..... *Paul Gilmour* 1386

Discussions:
Synthetic and Natural Phases in the System Au-Ag-Te ..... *Ulrich Petersen* 1390
Reflection Characteristics of Ore Minerals ..... *I. M. Gray and A. P. Millman* 1394
Nickeliferous Laterites in Southwestern California ..... *P. Routhier* 1396
The Iron Ores of Cerro Bolivar, Venezuela ..... *J. C. Ruckmick* 1397

Reviews:
Geology and Ore Deposits of the Belo Horizonte, Ibirité, and Macacos Quadrangles, Minas Gerais, Brazil (Pomerene) ..... *F. G. Percival* 1398
Geology of Ore Deposits, Vol. 5, No. 6 ..... *E. A. Alexandrov* 1402
Mineralogy and Types of Deposits of Selenium and Tellurium (Sindeeva) 1407
These Fragile Outposts—A Geological Look at Cape Cod, Martha's Vineyard, and Nantucket (Chamberlain) 1408
Geologic Map of Africa 1408
Les Formations Sédimentaires de la Mauritanie Méridionale et du Madi Nord-Occidental (Afrique de l'Ouest) (Bense) 1408

Symposium on Industrial Rocks and Minerals, Held in Lahore, Pakistan, December, 1962 1409
Books Received ..... *E. Julius Dasch and Radomir Petrović* 1409

Society of Economic Geologists 1414

Scientific Notes and News 1428

Number 8

Veins of Hypogene Manganese Oxide Minerals in the Southwestern United States *D. F. Hewett* 1429
Syngenesis of Sulfide Ores: An Evaluation of Biochemical Aspects ... *K. L. Temple* 1473
Relation of Copper to Rock Types in an Area of Known Economic Mineralization *Alan Stanley* 1492
Principal Features and Origin of Podiform Chromite Deposits, and Some Observations on the Guleman-Soridağ District, Turkey ..... *T. P. Thayer* 1497
Geology of a Disseminated Copper Deposit Near Cerrilos, New Mexico *J. G. Wargo* 1525
Beryl in the Rosses Granite, North-West Ireland *K. C. Burke, M. A. Cunningham, M. J. Gallagher, and J. R. Hawkes* 1539
Special Breccias Associated with Hydrothermal Developments in the Andes *Paul Kents* 1551
Fringe Zone Alteration in Carbonate Rocks, North Tintic District, Utah *P. D. Proctor* 1564
The Possible Role of Oxygen in the Anomalous Pyrite-Pyrrhotite Relation *C. A. Salotti* 1588

Scientific Communications:
The Application of White Spirit as a Solvent for Dithizone in Geochemical Analysis for Copper in Tropical Climates ..... *C. H. James* 1596
The Field Determination of Arsenic in Soils and Sediments ..... *R. E. Stanton* 1599

Discussions:
Zawar Lead-Zinc Mine—Hypogene-Hydrothermal or Remobilized? .. *J. Pereira* 1603

Reviews:
Venezuela y Sus Recursos (Levi Marrero) ..... *A. A. Meyerhoff* 1605
Short Reviews of New Russian Books ..... *C. F. Davidson* 1608
U. S. Geological Survey Professional Paper 501-B, Geological Survey Research, Chapter B 1610
Sedimentary Manganese Ores (I. M. Varentsov) 1610
Complexing and Hydrothermal Ore Deposition (H. C. Helgeson) 1611
Developments in Sedimentology. Vol. 1. Deltaic and Shallow Marine Deposits (L.M.J.U. Van Straaten, Editor) 1611
Economic Mineral Deposits of India (S. K. Borooah) 1612
Economic Minerals of Taiwan (C. S. Ho and Chin-Nan Lee) 1612
Mineralogy for Amateurs (J. Sinkankas) 1613
Books Received ..... *E. Julius Dasch and Radomir Petrović* 1613

Society of Economic Geologists 1618

Scientific Notes and News 1623

Index, Volume 59 ..... *M. D. McConnell and Helen J. Rolfe* 1624

Contents, Volume 59 iii